



# CERTIFIED REFERENCE MATERIAL BCR<sup>®</sup>-529

## CERTIFICATE OF ANALYSIS

INDUSTRIAL SOIL (sandy soil)			
	Mass fraction based on dry mass		
Chlorophenols	Certified value <sup>1)</sup> [mg/kg]	Uncertainty <sup>2)</sup> [mg/kg]	Number of accepted sets of results p
3,4-dichlorophenol	0.23	0.04	7
2,4,5-trichlorophenol	1.51	0.10	7
Pentachlorophenol	0.23	0.04	8
Polychlorodibenzo-p-dioxins and polychlorodibenzo-furans <sup>3)</sup>	Certified value <sup>1)</sup> [µg/kg]	Uncertainty <sup>2)</sup> [µg/kg]	Number of accepted sets of results p
2,3,7,8-TCDD (D48)	4.5	0.6 <sup>4)</sup>	12
1,2,3,7,8-PeCDD (D54)	0.44	0.05	6
1,2,3,4,7,8-HxCDD (D66)	1.22	0.21	9
1,2,3,6,7,8-HxCDD (D67)	5.4	0.9	11
1,2,3,7,8,9-HxCDD (D70)	3.0	0.4	12
2,3,7,8-TCDF (F83)	0.078	0.013	7
1,2,3,7,8-PeCDF (F94)	0.145	0.028	8
2,3,4,7,8-PeCDF (F114)	0.36	0.07	8
1,2,3,4,7,8-HxCDF (F118)	3.4	0.5	9
1,2,3,6,7,8-HxCDF (F121)	1.09	0.15	12
1,2,3,7,8,9-HxCDF (F124)	0.022	0.010	5
2,3,4,6,7,8-HxCDF (F130)	0.37	0.05	12
<sup>1)</sup> This value is the unweighted mean of the means of p accepted sets of results. The certified value and its uncertainty are traceable to the International System of units (SI). <sup>2)</sup> The uncertainty is taken as the half-width of the 95 % confidence interval of the mean given in <sup>1)</sup> . <sup>3)</sup> Values as obtained by GC-MS. <sup>4)</sup> The uncertainty is adjusted for inhomogeneity.			

This certificate is valid for one year after purchase.

Sales date:

The minimum amount of sample to be used is 2 g.

Brussels, November 1998

Latest revision: February 2014

Signed: \_\_\_\_\_

Prof. Dr. Hendrik Emons  
European Commission  
Joint Research Centre  
Institute for Reference Materials and Measurements  
Retieseweg 111  
B-2440 Geel, Belgium

## NOTE

This material has been certified by BCR (Community Bureau of Reference, the former reference materials programme of the European Commission). The certificate has been revised under the responsibility of IRMM.

## DESCRIPTION OF THE SAMPLE

The sample consists of approximately 50 g of industrial sandy soil in brown glass bottles with a polythene insert lined with aluminium. Information on the presence of additional organic chlorinated compounds other than those tabulated is given in the report.

## ANALYTICAL METHODS USED FOR CERTIFICATION

Calibration was done with BCR-CRMs (PCDD/F) or compounds of verified purity and stoichiometry (CB and CP). The samples were extracted with one or a mixture of solvents and were cleaned-up before or after derivatisation (CP only). Separation and quantification was carried out by HPLC with amperometric detection (CP) or gas chromatography with ECD, MS or atomic emission detection.

## PARTICIPANTS

- Bayer AG, ZF-DZA, Leverkusen (DE)
- Centre d'Analyse et de Recherche sur les Substances Organiques - CARSO, Vernaison (FR)
- Centro de Investigacion y Desarrollo, CID-CSIC, Barcelona (ES)
- CNR, Istituto Inquinamento Atmosferico, Roma (IT)
- CSL Food Science Laboratory, Norwich (GB)
- EMPA, Dübendorf (CH)
- Institut Fresenius, Dortmund (DE)
- Institut Fresenius, Dresden (DE)
- Institut Fresenius, Hamburg (DE)
- Institut Fresenius, Ingelheim (DE)
- Institute of Occupational Health, Dept. of Occ. Hygiene and Toxicology, Helsinki (FIN)
- Institut Pasteur de Lille, Département Eau et Environnement, Lille (FR)
- Institute for Reference Materials and Measurements, Joint Research Centre, European Commission, Geel (BE)
- IRH, Génie de l'Environnement, Vandoeuvre (FR)
- Istituto di Ricerche Farmacologiche Mario Negri, Milano (IT)
- Miljø-Kemie, Albertslund (DK)
- National Public Health Institute, Division of Environmental Health, Kuopio (FIN)
- RIVM, Laboratory of Organic Analytical Chemistry, Bilthoven (NL)
- RW-TÜV, Anlagetechnik GmbH, Essen (DE)
- Solvay Duphar B.V., Environmental Research Dept., Weesp (NL)
- Universidad de Santiago de Compostela, Dpto. Química Analítica, Santiago (ES)
- Universitat de Barcelona, Dpt. Química Analítica, Barcelona (ES)
- Universiteit van Amsterdam, MTC, Amsterdam (NL)
- University of Umea, Dept. of Environmental Chemistry, Umea (SE)
- VITO, Vlaamse Instelling voor Technologisch Onderzoek, Mol (BE)
- VTT Chemical Technology, Chemical Analysis, Espoo (FIN)
- ZENECA Specialities, Manchester (GB)

## SAFETY INFORMATION

Toxic material. The material must be handled with great care, especially avoiding skin contamination, ingestion or inhalation.

## INSTRUCTIONS FOR USE

For analysis the sample should be taken as it is.

Before a bottle is opened, it should be shaken manually for at least 5 minutes so that the material is re-homogenised.

Due to the pre-treatment of the soil its physico-chemical behaviour may differ from soil samples routinely measured. Therefore it may be necessary to re-constitute the reference material.

The water mass fraction of the soil is approximately 1.5 %. Thus any correction will fall well within the uncertainty of the analytical procedure. However it is recommended to verify the water content on a separate portion of the material on each occasion of the analysis, preferably by Karl Fischer titration.

The material is not intended for use as a calibrant.

For detailed information, please consult the certification report.

## STORAGE

The samples should be stored in the dark at a constant temperature of + 4 °C.

However, the European Commission cannot be held responsible for changes that happen during storage of the material at the customer's premises, especially of opened samples.

## LEGAL NOTICE

Neither IRMM, its subsidiaries, its contractors nor any person acting on their behalf.

(a) make any warranty or representation, express or implied that the use of any information, material, apparatus, method or process disclosed in this document does not infringe any privately owned intellectual property rights;

or

(b) assume any liability with respect to, or for damages resulting from, the use of any information, material, apparatus, method or process disclosed in this document save for loss or damage arising solely and directly from the negligence of IRMM or any of its subsidiaries.

## NOTE

A technical report on the production of BCR<sup>®</sup>-529 is available on the internet (<http://www.irmm.jrc.be>). A paper copy can be obtained from IRMM on request.