


Certificate

BRIMONIDINE RELATED COMPOUND A

(5-Bromoquinoxalin-6-amine)

USP Catalog No.: 1076419

USP Lot No.: F034J0

| | |
|--|---|
|  <p>The image shows the chemical structure of 5-bromoquinoxalin-6-amine. It consists of a quinoxaline ring system (a benzene ring fused to a pyrimidine ring) with a bromine atom (Br) at the 5-position and an amino group (NH₂) at the 6-position.</p> | CAS No.: 50358-63-9 |
| | Molecular Formula: C ₈ H ₆ BrN ₃ |
| | Molecular Weight: 224.06 |

LABEL TEXT

For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use
at www.usp.org/sds.



USP REFERENCE STANDARD

BRIMONIDINE RELATED COMPOUND A 50 mg
(5-Bromoquinoxalin-6-amine)



Warning! Causes skin irritation. Causes serious
eye irritation. May cause respiratory irritation.

Do not dry. Keep container tightly closed. Store in a refrigerator.
Protect from light.

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666
Cat. No. 1076419 Material mfd. in United Kingdom

Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly
after handling. Use only outdoors or in a well-ventilated area. Wear
protective gloves. Wear eye/face protection. If on skin: Wash with
plenty of water. If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash before reuse. If in eyes:
Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue rinsing. If eye irritation
persists: Get medical advice/attention. If inhaled: Remove person to
fresh air and keep comfortable for breathing. Call a poison
center/doctor if you feel unwell. Store in a well-ventilated place. Keep
container tightly closed. Store locked up. Dispose of
contents/container in accordance with
local/regional/national/international regulations.

Jeri L. Joth

Quality Assurance

Calculation Value

If a value is not provided on the label or accompanying documentation and the Reference Standard has a quantitative USP compendial application, a value of 100.0% is used. The purity value is not applicable for qualitative uses. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.