

Certificate


ACETAMINOPHEN RELATED COMPOUND J

(N-(4-chlorophenyl)acetamide)

USP Catalog No.: 1003100

USP Lot No.: R00310

Only compendial components as listed in the monograph are shown below

| | |
|---|--|
|  | CAS No. 539-03-7 |
| | Molecular Formula C ₈ H ₈ ClNO |
| | Molecular Weight 169.61 |

LABEL TEXT

For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use
at www.usp.org/sds.



Lot: R00310



USP REFERENCE STANDARD

ACETAMINOPHEN RELATED COMPOUND J 50 mg

(N-(4-chlorophenyl)acetamide)

Warning! Causes skin irritation. Causes serious eye irritation.
May cause respiratory irritation.

Do not dry. For quantitative applications use a value of 0.99 mg of acetaminophen
related compound J per mg of material on the as is basis. Keep container tightly
closed. Protect from light

CAT No. 1003100 USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666

Wash thoroughly after handling. Wear protective gloves. Wear eye/face
protection. Avoid breathing dust. Use only outdoors or in a well-ventilated
area. If on skin: Wash with plenty of water. If skin irritation occurs: Get
medical advice/attention. Take off contaminated clothing and wash before
reuse. If in eyes: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing. If eye irritation
persists: Get medical advice/attention. If inhaled: Remove person to fresh
air and keep comfortable for breathing. Call a poison center/doctor if you
feel unwell. Store in a well-ventilated place. Keep container tightly closed.
Store locked up. Dispose of contents/container in accordance with
local/regional/national/international regulations.

Jeri L. Joth

Quality Assurance

Calculation Value

Unless otherwise stated on the Reference Standard label, a value of 100.0% should be used in the compendial applications for which the use of this Reference Standard is intended. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.