


Certificate

AMPICILLIN

((2S,5R,6R)-6-[(R)-2-Amino-2-phenylacetamido]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid)

USP Catalog No.: 1033000

USP Lot No.: K1M493



LABEL TEXT



Lot No.: K1M493

USP REFERENCE STANDARD

AMPICILLIN 200 mg

Danger! Causes skin irritation. Causes serious eye irritation.
May cause an allergic skin reaction. May cause allergy or
asthma symptoms or breathing difficulties if inhaled.

This is the anhydrous form of ampicillin. Before using, dry portion to constant weight
in vacuum over phosphorous pentoxide at room temperature. For quantitative
applications, use a value of 998 µg of ampicillin per mg of material on the dried
basis. Keep container tightly closed. Store in a refrigerator.

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0866
CAT No. 1033000 Material mfd in Netherlands
Intentionally over-labeled for GHS compliance

For use with specified USP compendial
tests. Not for use as a drug. See SDS
prior to use at www.usp.org/eds.

Wash thoroughly after handling. Avoid breathing dust. Contaminated work
clothing must not be allowed out of the workplace. Wear protective gloves.
Wear eye/face protection. In case of inadequate ventilation wear respiratory
protection. If on skin: Wash with plenty of water. If skin irritation or rash
occurs: Get medical advice/attention. Take off contaminated clothing and
wash it before reuse. If inhaled: If breathing is difficult, remove person to
fresh air and keep comfortable for breathing. If experiencing respiratory
symptoms: Call a poison center/doctor. If in eyes: Rinse cautiously with
water for several minutes. Remove contact lenses, if present and easy to
do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Dispose of contents/container in accordance with
local/regional/national/international regulations.

Jeri L. Ioth
Quality Assurance

Calculation Value

Unless otherwise stated on the Reference Standard label, a value of 100.0% should be used in the compendial applications for which the use of this Reference Standard is intended. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.