




U.S. Pharmacopeia
The Standard of QualitySM

USP Certificate

Benzyl Benzoate LOT K0K392



Molecular Formula

$C_{14}H_{12}O_2$

Molecular Weight

212.24

CAS Number

120-51-4

LABEL TEXT

USP[®] REFERENCE STANDARD

BENZYL BENZOATE 5 g



Warning! Harmful if swallowed. Causes eye irritation.

Do not dry. After opening the ampule,
store in a tightly closed container. Protect from light.

Wash thoroughly after handling. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations.

For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use at www.usp.org/sds.

KEEP AMPULE IN SECONDARY CONTAINER!
USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666
CAT. NO. 1062008 Material mfd. in United States

LOT: K0K392



For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use at
www.usp.org/sds.

USP[®] REFERENCE STANDARD

BENZYL BENZOATE 5 g



Warning! Harmful if swallowed.
Causes eye irritation.

Do not dry. After opening the ampule, store in a
tightly closed container. Protect from light.

Intentionally over-labeled for GHS compliance

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666

CAT. NO. 1062008

Lot: K0K392

Material mfd in United States

Jeri L. Joth

Quality Assurance

Calculation Value

Unless otherwise stated on the Reference Standard label, a value of 100.0% should be used in the compendial applications for which the use of this Reference Standard is intended. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABLE QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.

Copyright 2012 The United States Pharmacopeial Convention. All rights reserved.