


Certificate

BIS (2-ETHYLHEXYL) MALEATE

(Maleic acid, bis(2-ethylhexyl)ester)

USP Catalog No.: 1075203

USP Lot No.: R04300

	CAS No.: 142-16-5
	Molecular Formula: C ₂₀ H ₃₆ O ₄
	Molecular Weight: 340.51

LABEL TEXT

USP REFERENCE STANDARD

BIS (2-ETHYLHEXYL) MALEATE 2 g

(Maleic acid, bis(2-ethylhexyl)ester)

Do not dry. For quantitative applications, use a value of 0.98 mg of bis(2-ethylhexyl) maleate per mg of material on the as is basis. After opening ampule, store unused portion in a tightly closed container. Protect from light. Store in a refrigerator.



Warning! May cause an allergic skin reaction.

Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations.

KEEP AMPULE IN SECONDARY CONTAINER!

LOT: R04300

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666
Cat. No. 1075203 Material mfd. in Japan



For use with specified USP compendial tests. Not for use as a drug. See SDS prior to use at www.usp.org/sds.

USP REFERENCE STANDARD

BIS (2-ETHYLHEXYL) MALEATE 2 g

(Maleic acid, bis(2-ethylhexyl)ester)



Warning! See outer package for full hazard information.

Do not dry. For quantitative applications, use a value of 0.98 mg of bis(2-ethylhexyl) maleate per mg of material on the as is basis. After opening ampule, store unused portion in a tightly closed container. Protect from light. Store in a refrigerator.

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666

Cat. No. 1075203

Lot: R04300

Material mfd. in Japan

For use with specified USP compendial tests. Not for use as a drug. See SDS prior to use at www.usp.org/sds.

Jeri L. Joth

Quality Assurance

Calculation Value

If a value is not provided on the label or accompanying documentation and the Reference Standard has a quantitative USP compendial application, a value of 100.0% is used. The purity value is not applicable for qualitative uses. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.