




U.S. Pharmacopeia
The Standard of QualitySM

USP Certificate

Ceftazidime Pentahydrate LOT I1K237



Molecular Formula

$C_{22}H_{22}N_6O_7S_2 \cdot 5H_2O$

Molecular Weight

636.65

CAS Number

78439-06-2

LABEL TEXT



Lot No.: I1K237



USP[®] REFERENCE STANDARD

CEFTAZIDIME PENTAHYDRATE 300 mg

Danger! May cause an allergic skin reaction. Causes eye irritation.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Do not dry. For quantitative applications, use a value of 860 µg of ceftazidime per mg of material on the as is basis. Keep container tightly closed. Protect from light and air. Store in a freezer.

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666
CAT No. 1098130 Material mfd in United Kingdom

Intentionally over-labeled for GHS compliance

For use with specified USP compendial tests. Not for use as a drug. See SDS prior to use at www.usp.org/ids.

Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. In case of inadequate ventilation wear respiratory protection. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations.

Jeri L. Joth

Quality Assurance

Calculation Value

Unless otherwise stated on the Reference Standard label, a value of 100.0% should be used in the compendial applications for which the use of this Reference Standard is intended. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABLE QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.

Copyright 2011 The United States Pharmacopeial Convention. All rights reserved.