




U.S. Pharmacopeia
The Standard of QualitySM

USP Certificate

Diethyl Sebacate LOT F1K329



Molecular Formula

$C_{14}H_{26}O_4$

Molecular Weight

258.35

CAS Number

110-40-7

LABEL TEXT

USP[®] REFERENCE STANDARD

DIETHYL SEBACATE 1 mL

Do not dry. For quantitative applications, use a value of 0.986 mg of diethyl sebacate per mg of material on the as is basis. After opening the ampule, store it in a tightly closed container.



Warning! Causes skin irritation.

Wash thoroughly after handling. Wear protective gloves.
If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Intentionally over-labeled for GHS compliance

KEEP AMPULE IN SECONDARY CONTAINER!
USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666
CAT. NO. 1194803 Material mfd. in Japan

LOT: F1K329



For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use at www.usp.org/sds.

For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use at
www.usp.org/sds.

USP

REFERENCE STANDARD

DIETHYL SEBACATE 1 mL



Warning! Causes skin irritation.

Do not dry. For quantitative applications, use a value of 0.986 mg of diethyl sebacate per mg of material on the as is basis. After opening the ampule, store it in a tightly closed container.

Intentionally over-labeled for GHS compliance

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666

CAT. NO. 1194803

Lot: F1K329

Material mfd in Japan

Jeri L. Joth

Quality Assurance

Calculation Value

Unless otherwise stated on the Reference Standard label, a value of 100.0% should be used in the compendial applications for which the use of this Reference Standard is intended. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABLE QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.

Copyright 2012 The United States Pharmacopeial Convention. All rights reserved.