


Certificate

DIHYDROSTREPTOMYCIN SULFATE

(6-O-(2-O-(2-Deoxy-2-(methylamino)- α -L-glucopyranosyl)-5-deoxy-3-C-(hydroxymethyl)- α -L-lyxofuranosyl)
 N^1,N^3 -diaminoiminomethylstreptamine sulfate (2:3) (salt))

USP Catalog No.: 1203008

USP Lot No.: R031Q0



LABEL TEXT

For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use at
www.usp.org/sds.



Lot: R031Q0

USP REFERENCE STANDARD

DIHYDROSTREPTOMYCIN SULFATE 200 mg

Warning! May cause an allergic skin reaction. Suspected of
damaging fertility or the unborn child.



Dry portion in a capillary-stoppered bottle in vacuum at 60° for
3 hours before use. For quantitative applications, use a value
of 753 µg of dihydrostreptomycin per mg of dried material. Keep
container tightly closed. Protect from light. Store in a freezer.

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666
CAT No. 1203008 Material mfd. in China

Obtain special instructions before use. Do not handle
until all safety precautions have been read and
understood. Contaminated work clothing must not be
allowed out of the workplace. Wear protective
gloves/protective clothing/eye protection/face protection.
If on skin: Wash with plenty of water. If skin irritation or
rash occurs: Get medical advice/attention. Wash
contaminated clothing before reuse. If exposed or
concerned: Get medical advice/attention. Store locked
up. Dispose of contents/container in accordance with
local/regional/national/international regulations.

Jeri L. Toth

Quality Assurance

Calculation Value

If a value is not provided on the label or accompanying documentation and the Reference Standard has a quantitative USP compendial application, a value of 100.0% is used. The purity value is not applicable for qualitative uses. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.