


Certificate

DINOPROST TROMETHAMINE

*((E,Z)-(1R,2R,3R,5S)-7-[3,5-Dihydroxy-2-[(3S)-(3-hydroxy-1-octenyl)]cyclopentyl]-5-heptenoic acid compound
with 2-amino-2-(hydroxymethyl)-1,3-propanediol (1:1))*

USP Catalog No.: 1213001

USP Lot No.: R071Q0



LABEL TEXT

For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use
at www.usp.org/sds.



Lot: R071Q0



USP REFERENCE STANDARD

DINOPROST TROMETHAMINE 50 mg

Danger! Harmful if swallowed.
Causes serious eye irritation. May damage fertility or the unborn
child. Causes damage to organs (cardiovascular system).

Keep container tightly closed. For quantitative applications, use a
value of 0.989 mg of dinoprost tromethamine per mg of material on
the as is basis. Store in a refrigerator.

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666
Cat. No. 1213001 Material mfd. in United States

Obtain special instructions before use. Do not handle until all
safety precautions have been read and understood. Wash
thoroughly after handling. Wear protective gloves/protective
clothing/eye protection/face protection. If swallowed: Call a poison
center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse
cautiously with water for several minutes. Remove contact lenses,
if present and easy to do. Continue rinsing. If eye irritation
persists: Get medical advice/attention. If exposed: Call a poison
center/doctor. Store locked up. Dispose of contents/container in
accordance with local/regional/national/international regulations.

Jeri L. Ioth

Quality Assurance

Calculation Value

If a value is not provided on the label or accompanying documentation and the Reference Standard has a quantitative USP compendial application, a value of 100.0% is used. The purity value is not applicable for qualitative uses. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.