


Certificate

FENTANYL RELATED COMPOUND A

((2-bromoethyl)benzene)

USP Catalog No.: 1269913

USP Lot No.: R00620



CAS No.: 103-63-9

Molecular Formula: C_8H_9Br

Molecular Weight: 185.06

LABEL TEXT

USP REFERENCE STANDARD

FENTANYL RELATED COMPOUND A 100 mg



((2-bromoethyl)benzene)

Do not dry. After opening ampule, transfer remaining material into a tightly closed container and store under nitrogen in a refrigerator. Protect from light.

Warning! Combustible liquid. Harmful if swallowed. Causes serious eye irritation.

Wash thoroughly after handling. Wear protective gloves/eye protection/face protection. Keep away from flames and hot surfaces-No smoking. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media for extinction. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.

KEEP AMPULE IN SECONDARY CONTAINER!

LOT: R00620

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666

CAT No. 1269913

Material mfd. in France



For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use at www.usp.org/sds.

USP REFERENCE STANDARD

FENTANYL RELATED COMPOUND A 100 mg



((2-bromoethyl)benzene)

Warning! See outer package for full hazard information.

Do not dry. After opening ampule, transfer remaining material into a tightly closed container and store under nitrogen in a refrigerator. Protect from light.

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666

CAT No. 1269913

R00620

Material mfd. in France

For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use at www.usp.org/sds.

Jeri L. Joth

Quality Assurance

Calculation Value

If a value is not provided on the label or accompanying documentation and the Reference Standard has a quantitative USP compendial application, a value of 100.0% is used. The purity value is not applicable for qualitative uses. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.