


Certificate

3-CHLOROBENZOIC ACID

USP Catalog No.: 1112299

USP Lot No.: F0M377

	CAS No.: 535-80-8
	Molecular Formula: C ₇ H ₅ ClO ₂
	Molecular Weight: 156.57

LABEL TEXT



Lot No.: F0M377



USP REFERENCE STANDARD

3-CHLOROBENZOIC ACID 25 mg

Warning! Causes skin irritation. Causes serious eye irritation.
May cause respiratory irritation.

Do not dry. For quantitative applications, use a value of 0.98 mg
of 3-chlorobenzoic acid per mg of material on the as is basis.
Keep container tightly closed. Handle in a dry place.

USP, 12801 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666
CAT No. 1112299 Material mfd in China
Intentionally over-labeled for GHS compliance

For use with specified USP compendial
tests. Not for use as a drug. See SDS
prior to use at www.usp.org/rlsds.

Use only outdoors or in a well-ventilated area. Avoid breathing dust. Wash
thoroughly after handling. Wear protective gloves. Wear eye/face protection.
If on skin: Wash with plenty of water. If skin irritation occurs: Get medical
advice/attention. Take off contaminated clothing and wash it before reuse. If
inhaled: Remove person to fresh air and keep comfortable for breathing. Call
a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with
water for several minutes. Remove contact lenses, if present and easy to
do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Store in a well-ventilated place. Keep container tightly closed. Store locked
up. Dispose of contents/container in accordance with
local/regional/national/international regulations.

Jeri L. Joth

Quality Assurance

Calculation Value

Unless otherwise stated on the Reference Standard label, a value of 100.0% should be used in the compendial applications for which the use of this Reference Standard is intended. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.