


# Certificate

## BUDESONIDE RELATED COMPOUND L

*(16 $\alpha$ ,17-[butylidenebis(oxy)]-21-hydroxypregna-1,4-diene-3,11,20-trione)*

USP Catalog No.: 1078289

USP Lot No.: F00600



**LABEL TEXT**

For use with specified USP compendial tests.  
Not for use as a drug. See SDS prior to use at  
[www.usp.org/sds](http://www.usp.org/sds).



Lot: F00600

**USP REFERENCE STANDARD**

**BUDESONIDE RELATED COMPOUND L 25 mg**  
(16 $\alpha$ , 17-[butylidenebis(oxy)]-21-hydroxypregna-1,4-diene-3,11,20-trione)



Warning! Suspected of damaging fertility or the unborn child.  
May cause damage to organs (endocrine system)  
through prolonged or repeated exposure.

Do not dry. Keep container tightly closed. Store in a refrigerator.  
Extremely light sensitive.

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666  
CAT No.1078289 Material mfd. in India

Obtain special instructions before use. Do not handle until  
all safety precautions have been read  
and understood. Wear protective gloves/protective  
clothing/eye protection/face protection.  
If exposed or concerned: Get medical advice/attention.  
Store locked up. Dispose of contents/container in  
accordance with local/regional/national/international  
regulations.

*Jeri L. Toth*

*Quality Assurance*

**Calculation Value**

If a value is not provided on the label or accompanying documentation and the Reference Standard has a quantitative USP compendial application, a value of 100.0% is used. The purity value is not applicable for qualitative uses. Please refer to the specific Reference Standard label for further information.

**Expiration**

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at [www.usp.org](http://www.usp.org).

**Instructions for Use**

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

**Non-Monograph Use**

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

**LEGAL NOTICE**

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.