

Certificate

ANTITHROMBIN III HUMAN

(*Antithrombin III*)

USP Catalog No.:	1040504
USP Lot No.:	F03350

<u>Antithrombin III Human</u> (<i>Antithrombin III</i>)	
HGSPVDICTA KPRDIPMNPM CIYRSPEKKA TEDEGSEQKI PEATNRRVWE LSKANSRFAT TFYQHLADSK NNDNIFLSP LSISTAFAMT KLGACNDTLQ QLMVFKFDT ISEKTSQIH FFFAKLNCRL YRKANKSSKL V*SANRLFGDK SLTFN*ETYQD ISELVYGAKL QPLDFKENAE QSRAAINKWV SNKTEGRITD VIPSEAINEL TVLVLVNTIY FKGLWKSFS PENTRKELFY KADGESCSAS MMYQEGKFRY RRVAEGTQVL ELPFKGDDIT MVLILPKPEK SLAKVEKELT PEVLQEWLDE LEEMMLVVHM PRFRIEDGFS LKEQLQDMGL VDLFSPEKSK LPGIVAEGRD DLYVSDAFHK AFLEVNEEGS EAAASTAVVI AGRSLNPNRV TFKANRPFLV FIREVPLNTI IFMGRVANPC VK	CAS No.: 9000-94-6
	Molecular Formula: C ₂₁₉₁ H ₃₄₅₁ N ₅₈₃ O ₆₅₆ S ₁₈ (amino acid sequence only)
	Molecular Weight: ~58,000 (including glycosylation)

Additional Information: Allow ampules to warm to room temperature before opening.

Reconstitute the entire content of an ampule with 1 mL of water. Let stand for 10 minutes at room temperature to allow complete dissolution of the material before use. The reconstituted standard should be used as soon as possible. When reconstituted, the aqueous solution contains 4.38 IU of antithrombin III human, 0.05 M Tris, 0.15 M NaCl, pH 7.4, 2 mg/mL of trehalose, and 10 mg/mL of human albumin.

Material is hygroscopic. Protect from light.

LABEL TEXT

USP REFERENCE STANDARD

ANTITHROMBIN III HUMAN

Each ampule contains 4.38 International Units (IU). Do not weigh. Reconstitute entire contents of ampule. See USP Certificate for additional information. Store in a freezer.



Warning! Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

Use only outdoors or in a well-ventilated area. Avoid breathing mist or vapor. Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

KEEP AMPULE IN SECONDARY CONTAINER!

LOT: F033S0

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666
CAT No. 1040504 Material mfd. in United States



For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use at www.usp.org/sds.

USP REFERENCE STANDARD

ANTITHROMBIN III HUMAN



Warning! See outer package for full hazard information.

Each ampule contains 4.38 International Units (IU). Do not weigh. Reconstitute entire contents of ampule. See USP Certificate for additional information. Store in a freezer.

USP, 12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666

CAT No. 1040504

Lot: F033S0

Material mfd. in United States

For use with specified USP compendial tests.
Not for use as a drug. See SDS prior to use at www.usp.org/sds.

Jeri L. Joth

Quality Assurance

Calculation Value

If a value is not provided on the label or accompanying documentation and the Reference Standard has a quantitative USP compendial application, a value of 100.0% is used. The purity value is not applicable for qualitative uses. Please refer to the specific Reference Standard label for further information.

Expiration

Current lots are identified in the current USP Catalog. In some cases, the previous lot may still be considered valid for use. If so, it is identified in the column marked "Previous Lot/Valid Use Date."

It is the responsibility of each user to determine that this lot is current or valid when used. For the most up-to-date information, please refer to the USP Store at www.usp.org.

Instructions for Use

Follow the instructions on the label of the USP Reference Standard and in the appropriate USP documentary standard(s).

Non-Monograph Use

The suitability of this Reference Standard for use in non-compendial applications is solely the responsibility of the user.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABILITY QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.