

Volatiles Mix 2 - Calibration Set

Art. ID ACCU-AE-00040-CAL-SET
Unit 5 x 1 mL
Deliverydetails De Minimis UN1230 (6.1) II E2

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
ACCU-AE-00040-CAL-01	1,1,1-Trichloroethane	[71-55-6]	1	µg/mL		
ACCU-AE-00040-CAL-01	Carbon tetrachloride (Tetrachloromethane)	[56-23-5]	1	µg/mL		
ACCU-AE-00040-CAL-01	Chloroform (Trichloromethane)	[67-66-3]	1	µg/mL		
ACCU-AE-00040-CAL-01	Methylene chloride (Dichloromethane)	[75-09-2]	1	µg/mL		
ACCU-AE-00040-CAL-01	Tetrachloroethene	[127-18-4]	1	µg/mL		
ACCU-AE-00040-CAL-01	Trichloroethene	[79-01-6]	1	µg/mL		
ACCU-AE-00040-CAL-02	1,1,1-Trichloroethane	[71-55-6]	5	µg/mL		
ACCU-AE-00040-CAL-02	Carbon tetrachloride (Tetrachloromethane)	[56-23-5]	5	µg/mL		
ACCU-AE-00040-CAL-02	Chloroform (Trichloromethane)	[67-66-3]	5	µg/mL		
ACCU-AE-00040-CAL-02	Methylene chloride (Dichloromethane)	[75-09-2]	5	µg/mL		
ACCU-AE-00040-CAL-02	Tetrachloroethene	[127-18-4]	5	µg/mL		
ACCU-AE-00040-CAL-02	Trichloroethene	[79-01-6]	5	µg/mL		
ACCU-AE-00040-CAL-03	1,1,1-Trichloroethane	[71-55-6]	10	µg/mL		
ACCU-AE-00040-CAL-03	Carbon tetrachloride (Tetrachloromethane)	[56-23-5]	10	µg/mL		
ACCU-AE-00040-CAL-03	Chloroform (Trichloromethane)	[67-66-3]	10	µg/mL		
ACCU-AE-00040-CAL-03	Methylene chloride (Dichloromethane)	[75-09-2]	10	µg/mL		
ACCU-AE-00040-CAL-03	Tetrachloroethene	[127-18-4]	10	µg/mL		
ACCU-AE-00040-CAL-03	Trichloroethene	[79-01-6]	10	µg/mL		
ACCU-AE-00040-CAL-04	1,1,1-Trichloroethane	[71-55-6]	50	µg/mL		
ACCU-AE-00040-CAL-04	Carbon tetrachloride (Tetrachloromethane)	[56-23-5]	50	µg/mL		
ACCU-AE-00040-CAL-04	Chloroform (Trichloromethane)	[67-66-3]	50	µg/mL		

	thane)			
ACCU-AE-00040-CAL-04	Methylene chloride (Dichloromethane)	[75-09-2]	50	µg/mL
ACCU-AE-00040-CAL-04	Tetrachloroethene	[127-18-4]	50	µg/mL
ACCU-AE-00040-CAL-04	Trichloroethene	[79-01-6]	50	µg/mL
ACCU-AE-00040-CAL-05	1,1,1-Trichloroethane	[71-55-6]	100	µg/mL
ACCU-AE-00040-CAL-05	Carbon tetrachloride (Tetrachloromethane)	[56-23-5]	100	µg/mL
ACCU-AE-00040-CAL-05	Chloroform (Trichloromethane)	[67-66-3]	100	µg/mL
ACCU-AE-00040-CAL-05	Methylene chloride (Dichloromethane)	[75-09-2]	100	µg/mL
ACCU-AE-00040-CAL-05	Tetrachloroethene	[127-18-4]	100	µg/mL
ACCU-AE-00040-CAL-05	Trichloroethene	[79-01-6]	100	µg/mL