

### **ASTM/EPA Gasoline Refinery Standards, Varied conc, by %w/w**

Art. ID ACCU-D-5769-ADD-10ML  
Unit 10 mL  
Deliverydetails ADR Excepted Quantity (EQ) / AIR Excepted Quantity (EQ) UN1993 II E2

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
	Benzene	[71-43-2]	4,16	%		
	Toluene	[108-88-3]	16,41	%		
	Ethylbenzene	[100-41-4]	4,1	%		
	m-Xylene	[108-38-3]	4,91	%		
	p-Xylene	[106-42-3]	4,91	%		
	o-Xylene	[95-47-6]	5	%		
	Isopropylbenzene (Cumol )	[98-82-8]	2,45	%		
	n-Propylbenzene	[103-65-1]	2,45	%		
	3-Ethyltoluene	[620-14-4]	2,45	%		
	4-Ethyltoluene	[622-96-8]	2,44	%		
	1,3,5-Trimethylbenzene	[108-67-8]	2,46	%		
	2-Ethyltoluene	[611-14-3]	2,5	%		
	1,2,4-Trimethylbenzene	[95-63-6]	4,14	%		
	1,2,3-Trimethylbenzene	[526-73-8]	2,54	%		
	Indan	[496-11-7]	2,73	%		
	1,4-Diethylbenzene	[105-05-5]	2,45	%		
	n-Butylbenzene	[104-51-8]	2,44	%		
	1,2-Diethylbenzene	[135-01-3]	2,5	%		
	1,2,4,5-Tetramethylbenz ene	[95-93-2]	1,68	%		
	1,2,3,5-Tetramethylbenz ene	[527-53-7]	1,68	%		
	Naphthalene	[91-20-3]	1,88	%		
	1-Methylnaphthalene	[90-12-0]	1,88	%		
	2-Methylnaphthalene	[91-57-6]	1,93	%		
	2,2,4-Trimethylpentane (Isooctane)	[540-84-1]	19,92	%		