

Copper base, Type: Bronze (B555 BR1), CRM, Disc 40 mm x ~25 mm

Art. ID IMN-BR1
Unit disc
Deliverydetails No Dangerous Good /not restricted

Description

The certified uncertainty is the expanded uncertainty with a coverage factor k=2 corresponding to a level of confidence of about 95%.

| Text/Information | Analyte/Parameter | CAS number | Concentration/Value | Unit | Method | Source |
|------------------|-------------------|-------------|---------------------|------|--------|--------|
| | Aluminium (Al) | [7429-90-5] | 0,00745 ± 0,00026 | % | | |
| | Arsenic (As) | [7440-38-2] | 0,0102 ± 0,0007 | % | | |
| | Copper (Cu) | [7440-50-8] | rest | | | |
| | Iron (Fe) | [7439-89-6] | 0,0852 ± 0,0028 | % | | |
| | Manganese (Mn) | [7439-96-5] | 0,0801 ± 0,0035 | % | | |
| | Nickel (Ni) | [7440-02-0] | 0,481 ± 0,016 | % | | |
| | Phosphorus (P) | [7723-14-0] | 0,0097 ± 0,0021 | % | | |
| | Lead (Pb) | [7439-92-1] | 5,037 ± 0,095 | % | | |
| | Sulfur (S) | [7704-34-9] | 0,0143 ± 0,0025 | % | | |
| | Antimony (Sb) | [7440-36-0] | 0,0903 ± 0,0037 | | | |
| | Silicon (Si) | [7440-21-3] | ~0,0077 | % | | |
| | Tin (Sn) | [7440-31-5] | 4,956 ± 0,111 | % | | |
| | Zinc (Zn) | [7440-66-6] | 5,079 ± 0,071 | % | | |