

## **Resulfurized Steel Set/4 discs**

|                 |                                   |
|-----------------|-----------------------------------|
| Art. ID         | BS-RESUL-4                        |
| Unit            | set of 4 discs                    |
| Deliverydetails | No Dangerous Good /not restricted |

| Text/Information   | Analyte/Parameter | CAS number  | Concentration/Value | Unit | Method | Source |
|--|-------------------|-------------|---------------------|------|--------|--------|
| BS-65C-7MM: Iron, 1117,<br>Resulfurized Steel, RM<br>, 7 mm disc (see also s<br>et BS-RESUL-4) | Aluminium (Al)    | [7429-90-5] | ~0,002              | %    |        |        |
| BS-65C-7MM: Iron, 1117,<br>Resulfurized Steel, RM<br>, 7 mm disc (see also s<br>et BS-RESUL-4) | Arsenic (As)      | [7440-38-2] | ~0,008              | %    |        |        |
| BS-65C-7MM: Iron, 1117,<br>Resulfurized Steel, RM<br>, 7 mm disc (see also s<br>et BS-RESUL-4) | Carbon (C)        | [7440-44-0] | 0,15                | %    |        |        |
| BS-65C-7MM: Iron, 1117,<br>Resulfurized Steel, RM<br>, 7 mm disc (see also s<br>et BS-RESUL-4) | Cobalt (Co)       | [7440-48-4] | ~0,007              | %    |        |        |
| BS-65C-7MM: Iron, 1117,<br>Resulfurized Steel, RM<br>, 7 mm disc (see also s<br>et BS-RESUL-4) | Chromium (Cr)     | [7440-47-3] | 0,066               | %    |        |        |
| BS-65C-7MM: Iron, 1117,<br>Resulfurized Steel, RM<br>, 7 mm disc (see also s<br>et BS-RESUL-4) | Copper (Cu)       | [7440-50-8] | 0,24                | %    |        |        |
| BS-65C-7MM: Iron, 1117,<br>Resulfurized Steel, RM<br>, 7 mm disc (see also s<br>et BS-RESUL-4) | Manganese (Mn)    | [7439-96-5] | 1,19                | %    |        |        |
| BS-65C-7MM: Iron, 1117,<br>Resulfurized Steel, RM<br>, 7 mm disc (see also s                   | Molybdenum (Mo)   | [7439-98-7] | 0,012               | %    |        |        |

|   |                |             |        |  |   |
|---|----------------|-------------|--------|--|---|
| et BS-RESUL-4)                                    |                |             |        |  |   |
| BS-65C-7MM: Iron, 1117,                           | Nitrogen (N)   | [7727-37-9] | 0,0084 |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                |             |        |  |   |
| et BS-RESUL-4)                                    |                |             |        |  |   |
| BS-65C-7MM: Iron, 1117,                           | Nickel (Ni)    | [7440-02-0] | 0,063  |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                |             |        |  |   |
| et BS-RESUL-4)                                    |                |             |        |  |   |
| BS-65C-7MM: Iron, 1117,                           | Phosphorus (P) | [7723-14-0] | 0,007  |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                |             |        |  |   |
| et BS-RESUL-4)                                    |                |             |        |  |   |
| BS-65C-7MM: Iron, 1117,                           | Sulfur (S)     | [7704-34-9] | 0,115  |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                |             |        |  |   |
| et BS-RESUL-4)                                    |                |             |        |  |   |
| BS-65C-7MM: Iron, 1117,                           | Silicon (Si)   | [7440-21-3] | 0,24   |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                |             |        |  |   |
| et BS-RESUL-4)                                    |                |             |        |  |   |
| BS-65C-7MM: Iron, 1117,                           | Tin (Sn)       | [7440-31-5] | 0,02   |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                |             |        |  |   |
| et BS-RESUL-4)                                    |                |             |        |  |   |
| BS-65C-7MM: Iron, 1117,                           | Vanadium (V)   | [7440-62-2] | 0,002  |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                |             |        |  |   |
| et BS-RESUL-4)                                    |                |             |        |  |   |
| BS-52D-7MM: Iron, 1140                            | Aluminium (Al) | [7429-90-5] | 0,028  |  | % |
| +P, Resulfurized Steel,<br>RM, 7 mm disc (see als |                |             |        |  |   |
| o set BS-RESUL-4)                                 |                |             |        |  |   |
| BS-52D-7MM: Iron, 1140                            | Carbon (C)     | [7440-44-0] | 0,436  |  | % |
| +P, Resulfurized Steel,<br>RM, 7 mm disc (see als |                |             |        |  |   |
| o set BS-RESUL-4)                                 |                |             |        |  |   |
| BS-52D-7MM: Iron, 1140                            | Cobalt (Co)    | [7440-48-4] | 0,012  |  | % |

|  |                 |             |        |  |   |
|--|-----------------|-------------|--------|--|---|
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als<br>o set BS-RESUL-4) |                 |             |        |  |   |
| BS-52D-7MM: Iron, 1140   | Chromium (Cr)   | [7440-47-3] | 0,16   |  | % |
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als<br>o set BS-RESUL-4) |                 |             |        |  |   |
| BS-52D-7MM: Iron, 1140   | Copper (Cu)     | [7440-50-8] | 0,06   |  | % |
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als<br>o set BS-RESUL-4) |                 |             |        |  |   |
| BS-52D-7MM: Iron, 1140   | Manganese (Mn)  | [7439-96-5] | 0,97   |  | % |
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als<br>o set BS-RESUL-4) |                 |             |        |  |   |
| BS-52D-7MM: Iron, 1140   | Molybdenum (Mo) | [7439-98-7] | 0,09   |  | % |
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als<br>o set BS-RESUL-4) |                 |             |        |  |   |
| BS-52D-7MM: Iron, 1140   | Nitrogen (N)    | [7727-37-9] | 0,0025 |  | % |
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als<br>o set BS-RESUL-4) |                 |             |        |  |   |
| BS-52D-7MM: Iron, 1140   | Nickel (Ni)     | [7440-02-0] | 0,18   |  | % |
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als<br>o set BS-RESUL-4) |                 |             |        |  |   |
| BS-52D-7MM: Iron, 1140   | Oxygen (O)      | [7782-44-7] | ~0,002 |  | % |
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als<br>o set BS-RESUL-4) |                 |             |        |  |   |
| BS-52D-7MM: Iron, 1140   | Phosphorus (P)  | [7723-14-0] | 0,068  |  | % |
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als<br>o set BS-RESUL-4) |                 |             |        |  |   |
| BS-52D-7MM: Iron, 1140   | Sulfur (S)      | [7704-34-9] | 0,088  |  | % |
| +P, Resulturized Steel,<br>RM, 7 mm disc (see als                      |                 |             |        |  |   |

o set BS-RESUL-4)

BS-52D-7MM: Iron, 1140 Silicon (Si) [7440-21-3] 0,18 %

+P, Resulfurized Steel,

RM, 7 mm disc (see als

o set BS-RESUL-4)

BS-52D-7MM: Iron, 1140 Tin (Sn) [7440-31-5] 0,004 %

+P, Resulfurized Steel,

RM, 7 mm disc (see als

o set BS-RESUL-4)

BS-52D-7MM: Iron, 1140 Titanium (Ti) [7440-32-6] ~0,004 %

+P, Resulfurized Steel,

RM, 7 mm disc (see als

o set BS-RESUL-4)

BS-52D-7MM: Iron, 1140 Vanadium (V) [7440-62-2] 0,002 %

+P, Resulfurized Steel,

RM, 7 mm disc (see als

o set BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Aluminium (Al) [7429-90-5] 0,002 %

Resulfurized Steel, RM

, 7 mm disc( see also s

et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Carbon (C) [7440-44-0] 0,418 %

Resulfurized Steel, RM

, 7 mm disc( see also s

et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Cobalt (Co) [7440-48-4] 0,005 %

Resulfurized Steel, RM

, 7 mm disc( see also s

et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Chromium (Cr) [7440-47-3] 0,094 %

Resulfurized Steel, RM

, 7 mm disc( see also s

et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Copper (Cu) [7440-50-8] 0,031 %

Resulfurized Steel, RM

, 7 mm disc( see also s

et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Manganese (Mn) [7439-96-5] 1,57 %

Resulfurized Steel, RM

, 7 mm disc( see also s  
et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Molybdenum (Mo) [7439-98-7] 0,019 %

Resulfurized Steel, RM  
, 7 mm disc( see also s  
et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Nitrogen (N) [7727-37-9] ~0,006 %

Resulfurized Steel, RM  
, 7 mm disc( see also s  
et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Nickel (Ni) [7440-02-0] 0,033 %

Resulfurized Steel, RM  
, 7 mm disc( see also s  
et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Phosphorus (P) [7723-14-0] 0,018 %

Resulfurized Steel, RM  
, 7 mm disc( see also s  
et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Sulfur (S) [7704-34-9] 0,11 %

Resulfurized Steel, RM  
, 7 mm disc( see also s  
et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Silicon (Si) [7440-21-3] 0,02 %

Resulfurized Steel, RM  
, 7 mm disc( see also s  
et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Tin (Sn) [7440-31-5] 0,001 %

Resulfurized Steel, RM  
, 7 mm disc( see also s  
et BS-RESUL-4)

BS-66B-7MM: Iron, 1141, Vanadium (V) [7440-62-2] 0,002 %

Resulfurized Steel, RM  
, 7 mm disc( see also s  
et BS-RESUL-4)

BS-66K-7MM: Iron, 1215, Aluminium (Al) [7429-90-5] 0,002 %

Resulfurized Steel, RM  
, 7 mm disc( see also s

|   |                 |             |         |  |   |
|---|-----------------|-------------|---------|--|---|
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Carbon (C)      | [7440-44-0] | 0,051   |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                 |             |         |  |   |
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Cobalt (Co)     | [7440-48-4] | 0,005   |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                 |             |         |  |   |
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Chromium (Cr)   | [7440-47-3] | 0,006   |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                 |             |         |  |   |
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Copper (Cu)     | [7440-50-8] | 0,013   |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                 |             |         |  |   |
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Manganese (Mn)  | [7439-96-5] | 0,86    |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                 |             |         |  |   |
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Molybdenum (Mo) | [7439-98-7] | 0,003   |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                 |             |         |  |   |
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Nitrogen (N)    | [7727-37-9] | ~0,0074 |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                 |             |         |  |   |
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Nickel (Ni)     | [7440-02-0] | 0,012   |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                 |             |         |  |   |
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Phosphorus (P)  | [7723-14-0] | 0,062   |  | % |
| Resulfurized Steel, RM<br>, 7 mm disc (see also s |                 |             |         |  |   |
| et BS-RESUL-4)                                    |                 |             |         |  |   |
| BS-66K-7MM: Iron, 1215,                           | Sulfur (S)      | [7704-34-9] | 0,322   |  | % |

Resulfurized Steel, RM

, 7 mm disc (see also s  
et BS-RESUL-4)

BS-66K-7MM: Iron, 1215, Silicon (Si) [7440-21-3] ~0,004 %

Resulfurized Steel, RM

, 7 mm disc (see also s  
et BS-RESUL-4)

BS-66K-7MM: Iron, 1215, Tin (Sn) [7440-31-5] <0,001 %

Resulfurized Steel, RM

, 7 mm disc (see also s  
et BS-RESUL-4)

BS-66K-7MM: Iron, 1215, Vanadium (V) [7440-62-2] 0,001 %

Resulfurized Steel, RM

, 7 mm disc (see also s  
et BS-RESUL-4)