

## Tool Steel Set/18 discs

Art. ID                      BS-TS-18  
Unit                         set of 18 discs  
Deliverydetails            No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Aluminium (Al)	[7429-90-5]	0,004	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Carbon (C)	[7440-44-0]	0,36	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Cobalt (Co)	[7440-48-4]	2	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Chromium (Cr)	[7440-47-3]	3,51	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Copper (Cu)	[7440-50-8]	0,072	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Manganese (Mn)	[7439-96-5]	0,33	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Molybdenum (Mo)	[7439-98-7]	2,41	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Nitrogen (N)	[7727-37-9]	0,0186	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Nickel (Ni)	[7440-02-0]	0,2	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Phosphorus (P)	[7723-14-0]	0,014	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Sulfur (S)	[7704-34-9]	0,015	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Silicon (Si)	[7440-21-3]	0,92	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Tin (Sn)	[7440-31-5]	~0,004	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Titanium (Ti)	[7440-32-6]	0,003	%		
BS-49-7MM: Iron, Tool S teel, RM, 7 mm disc	Vanadium (V)	[7440-62-2]	0,62	%		
BS-49-7MM: Iron, Tool S	Tungsten (W)	[7440-33-7]	0,31	%		

teel, RM, 7 mm disc					
BS-A-10-7MM: Iron, A-10	Aluminium (Al)	[7429-90-5]	0,006		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Carbon (C)	[7440-44-0]	1,41		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Cobalt (Co)	[7440-48-4]	~0,01		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Chromium (Cr)	[7440-47-3]	0,24		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Copper (Cu)	[7440-50-8]	0,16		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Manganese (Mn)	[7439-96-5]	1,75		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Molybdenum (Mo)	[7439-98-7]	1,53		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Nickel (Ni)	[7440-02-0]	1,82		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Phosphorus (P)	[7723-14-0]	0,016		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Sulfur (S)	[7704-34-9]	0,022		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Silicon (Si)	[7440-21-3]	1,15		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Vanadium (V)	[7440-62-2]	~0,004		%
, Tool Steel, RM, 7 mm					
disc					
BS-A-10-7MM: Iron, A-10	Tungsten (W)	[7440-33-7]	<0,005		%

, Tool Steel, RM, 7 mm

disc

BS-36C-7MM: Iron, A-2, Carbon (C) [7440-44-0] 0,96 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Cobalt (Co) [7440-48-4] 0,03 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Chromium (Cr) [7440-47-3] 5,01 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Copper (Cu) [7440-50-8] 0,18 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Manganese (Mn) [7439-96-5] 0,46 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Molybdenum (Mo) [7439-98-7] 0,99 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Nickel (Ni) [7440-02-0] 0,19 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Phosphorus (P) [7723-14-0] 0,023 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Sulfur (S) [7704-34-9] 0,027 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Silicon (Si) [7440-21-3] 0,31 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Vanadium (V) [7440-62-2] 0,11 %

Tool Steel, RM, 7 mm di

sc

BS-36C-7MM: Iron, A-2, Tungsten (W) [7440-33-7] ~0,04 %

Tool Steel, RM, 7 mm di

sc

BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Carbon (C)	[7440-44-0]	1,54	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Cobalt (Co)	[7440-48-4]	0,07	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Chromium (Cr)	[7440-47-3]	11,07	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Copper (Cu)	[7440-50-8]	0,063	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Manganese (Mn)	[7439-96-5]	0,28	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Molybdenum (Mo)	[7439-98-7]	1,09	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Nitrogen (N)	[7727-37-9]	0,016	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Nickel (Ni)	[7440-02-0]	0,21	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Phosphorus (P)	[7723-14-0]	0,021	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Sulfur (S)	[7704-34-9]	0,015	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Silicon (Si)	[7440-21-3]	0,29	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di sc	Vanadium (V)	[7440-62-2]	0,8	%
BS-37D-7MM: Iron, D-2, Tool Steel, RM, 7 mm di	Tungsten (W)	[7440-33-7]	0,16	%

sc					
BS-TH-11-7MM: Iron, H-1	Carbon (C)	[7440-44-0]	0,423	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Cobalt (Co)	[7440-48-4]	~0,008	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Chromium (Cr)	[7440-47-3]	5,04	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Copper (Cu)	[7440-50-8]	0,041	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Manganese (Mn)	[7439-96-5]	0,31	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Molybdenum (Mo)	[7439-98-7]	1,27	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Nickel (Ni)	[7440-02-0]	0,11	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Phosphorus (P)	[7723-14-0]	0,016	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Sulfur (S)	[7704-34-9]	0,005	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Silicon (Si)	[7440-21-3]	0,88	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Vanadium (V)	[7440-62-2]	0,46	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BS-TH-11-7MM: Iron, H-1	Tungsten (W)	[7440-33-7]	~0,01	%	
1 Tool Steel Disc Ø 38m					
m x ~7mm XRF CUT					
BBS-TH-12-7MM: Iron, H-	Carbon (C)	[7440-44-0]	0,372	%	

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Cobalt (Co) [7440-48-4] 0,07 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Chromium (Cr) [7440-47-3] 5,02 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Copper (Cu) [7440-50-8] 0,064 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Manganese (Mn) [7439-96-5] 0,4 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Molybdenum (Mo) [7439-98-7] 1,41 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Nickel (Ni) [7440-02-0] 0,16 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Phosphorus (P) [7723-14-0] 0,02 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Sulfur (S) [7704-34-9] 0,005 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Silicon (Si) [7440-21-3] 0,92 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Vanadium (V) [7440-62-2] 0,62 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BBS-TH-12-7MM: Iron, H- Tungsten (W) [7440-33-7] 1,06 %

12 Tool Steel Disc Ø 38

mm x ~7mm XRF CUT

BS-34D-7MM: Iron, H-13, Carbon (C) [7440-44-0] 0,395 %

Tool Steel, RM, 7 mm d

isc

BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Cobalt (Co)	[7440-48-4]	0,031	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Chromium (Cr)	[7440-47-3]	5,15	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Copper (Cu)	[7440-50-8]	0,049	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Manganese (Mn)	[7439-96-5]	0,38	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Molybdenum (Mo)	[7439-98-7]	1,24	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Nickel (Ni)	[7440-02-0]	0,1	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Phosphorus (P)	[7723-14-0]	0,017	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Sulfur (S)	[7704-34-9]	0,005	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Silicon (Si)	[7440-21-3]	1,06	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Vanadium (V)	[7440-62-2]	0,94	%
BS-34D-7MM: Iron, H-13, Tool Steel, RM, 7 mm d isc	Tungsten (W)	[7440-33-7]	0,1	%
BS-9-4-30-7MM: Iron, HP 9-4-30, Tool Steel, RM, 7 mm disc	Aluminium (Al)	[7429-90-5]	0,004	%
BS-9-4-30-7MM: Iron, HP 9-4-30, Tool Steel, RM,	Carbon (C)	[7440-44-0]	0,3	%

7 mm disc					
BS-9-4-30-7MM: Iron, HP	Cobalt (Co)	[7440-48-4]	4,4	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Chromium (Cr)	[7440-47-3]	1	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Copper (Cu)	[7440-50-8]	0,09	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Manganese (Mn)	[7439-96-5]	0,22	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Molybdenum (Mo)	[7439-98-7]	1	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Nitrogen (N)	[7727-37-9]	0,0015	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Nickel (Ni)	[7440-02-0]	7,25	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Phosphorus (P)	[7723-14-0]	0,008	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Sulfur (S)	[7704-34-9]	<0,001	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Silicon (Si)	[7440-21-3]	0,06	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Vanadium (V)	[7440-62-2]	0,085	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-9-4-30-7MM: Iron, HP	Tungsten (W)	[7440-33-7]	0,01	%	
9-4-30, Tool Steel, RM,					
7 mm disc					
BS-39B-7MM: Iron, L-6,	Aluminium (Al)	[7429-90-5]	~0,011	%	



Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Carbon (C)	[7440-44-0]	0,67	%
------------------------	------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Cobalt (Co)	[7440-48-4]	~0,02	%
------------------------	-------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Chromium (Cr)	[7440-47-3]	0,79	%
------------------------	---------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Copper (Cu)	[7440-50-8]	0,163	%
------------------------	-------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Manganese (Mn)	[7439-96-5]	0,62	%
------------------------	----------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Molybdenum (Mo)	[7439-98-7]	0,17	%
------------------------	-----------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Nickel (Ni)	[7440-02-0]	1,45	%
------------------------	-------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Phosphorus (P)	[7723-14-0]	0,009	%
------------------------	----------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Sulfur (S)	[7704-34-9]	0,019	%
------------------------	------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Silicon (Si)	[7440-21-3]	0,214	%
------------------------	--------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Tin (Sn)	[7440-31-5]	~0,011	%
------------------------	----------	-------------	--------	---

Tool Steel, RM, 7 mm di

sc

BS-39B-7MM: Iron, L-6,	Vanadium (V)	[7440-62-2]	~0,01	%
------------------------	--------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Carbon (C)	[7440-44-0]	0,86	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Cobalt (Co)	[7440-48-4]	0,45	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Chromium (Cr)	[7440-47-3]	3,72	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Copper (Cu)	[7440-50-8]	0,054	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Manganese (Mn)	[7439-96-5]	0,23	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Molybdenum (Mo)	[7439-98-7]	8,4	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Nickel (Ni)	[7440-02-0]	0,057	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Phosphorus (P)	[7723-14-0]	0,007	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Sulfur (S)	[7704-34-9]	0,012	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Silicon (Si)	[7440-21-3]	0,46	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Vanadium (V)	[7440-62-2]	1,05	%
BS-TM1-7MM: Iron, M-1, Tool Steel, RM, 7 mm di sc	Tungsten (W)	[7440-33-7]	1,7	%
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Aluminium (Al)	[7429-90-5]	~0,02	%

sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Carbon (C)	[7440-44-0]	0,84	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Cobalt (Co)	[7440-48-4]	0,31	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Chromium (Cr)	[7440-47-3]	3,98	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Copper (Cu)	[7440-50-8]	0,13	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Manganese (Mn)	[7439-96-5]	0,29	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Molybdenum (Mo)	[7439-98-7]	4,85	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Nickel (Ni)	[7440-02-0]	0,35	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Phosphorus (P)	[7723-14-0]	~0,018	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Sulfur (S)	[7704-34-9]	0,001	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Silicon (Si)	[7440-21-3]	0,29	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Vanadium (V)	[7440-62-2]	2,03	%	
sc					
BS-32C-7MM: Iron, M-2, Tool Steel, RM, 7 mm di	Tungsten (W)	[7440-33-7]	6,3	%	
sc					
BS-35D-7MM: Iron, O-1,	Aluminium (Al)	[7429-90-5]	~0,005	%	

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Carbon (C)	[7440-44-0]	0,879	%
------------------------	------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Cobalt (Co)	[7440-48-4]	0,012	%
------------------------	-------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Chromium (Cr)	[7440-47-3]	0,495	%
------------------------	---------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Copper (Cu)	[7440-50-8]	0,141	%
------------------------	-------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Manganese (Mn)	[7439-96-5]	1,13	%
------------------------	----------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Molybdenum (Mo)	[7439-98-7]	0,035	%
------------------------	-----------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Niobium (Nb)	[7440-03-1]	~0,001	%
------------------------	--------------	-------------	--------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Nickel (Ni)	[7440-02-0]	0,132	%
------------------------	-------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Phosphorus (P)	[7723-14-0]	0,021	%
------------------------	----------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Sulfur (S)	[7704-34-9]	0,024	%
------------------------	------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Silicon (Si)	[7440-21-3]	0,22	%
------------------------	--------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1,	Tin (Sn)	[7440-31-5]	0,006	%
------------------------	----------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-35D-7MM: Iron, O-1, Tool Steel, RM, 7 mm di sc	Titanium (Ti)	[7440-32-6]	~0,003	%
BS-35D-7MM: Iron, O-1, Tool Steel, RM, 7 mm di sc	Vanadium (V)	[7440-62-2]	1,181	%
BS-35D-7MM: Iron, O-1, Tool Steel, RM, 7 mm di sc	Tungsten (W)	[7440-33-7]	0,46	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis c	Aluminium (Al)	[7429-90-5]	~0,007	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis c	Carbon (C)	[7440-44-0]	1,41	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis c	Chromium (Cr)	[7440-47-3]	0,22	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis c	Copper (Cu)	[7440-50-8]	0,038	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis c	Manganese (Mn)	[7439-96-5]	0,89	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis c	Molybdenum (Mo)	[7439-98-7]	0,23	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis c	Nickel (Ni)	[7440-02-0]	0,15	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis c	Phosphorus (P)	[7723-14-0]	0,013	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis c	Sulfur (S)	[7704-34-9]	0,011	%
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis	Silicon (Si)	[7440-21-3]	1,02	%

c					
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis	Tin (Sn)	[7440-31-5]	~0,008	%	
c					
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis	Vanadium (V)	[7440-62-2]	0,046	%	
c					
BS-41-7MM: Iron, O-6, T ool Steel, RM, 7 mm dis	Tungsten (W)	[7440-33-7]	0,035	%	
c					
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Carbon (C)	[7440-44-0]	0,49	%	
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Cobalt (Co)	[7440-48-4]	0,006	%	
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Chromium (Cr)	[7440-47-3]	1,25	%	
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Copper (Cu)	[7440-50-8]	0,038	%	
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Manganese (Mn)	[7439-96-5]	0,29	%	
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Molybdenum (Mo)	[7439-98-7]	0,045	%	
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Nickel (Ni)	[7440-02-0]	0,08	%	
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Phosphorus (P)	[7723-14-0]	0,022	%	
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Sulfur (S)	[7704-34-9]	0,005	%	
BS-33E-7MM: Iron, S-1, Tool Steel, RM, 7 mm di sc	Silicon (Si)	[7440-21-3]	0,2	%	

Tool Steel, RM, 7 mm di

sc

BS-33E-7MM: Iron, S-1,	Titanium (Ti)	[7440-32-6]	~0,002	%
------------------------	---------------	-------------	--------	---

Tool Steel, RM, 7 mm di

sc

BS-33E-7MM: Iron, S-1,	Vanadium (V)	[7440-62-2]	0,19	%
------------------------	--------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-33E-7MM: Iron, S-1,	Tungsten (W)	[7440-33-7]	2,75	%
------------------------	--------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5,	Aluminium (Al)	[7429-90-5]	0,015	%
------------------------	----------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5,	Arsenic (As)	[7440-38-2]	0,011	%
------------------------	--------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5,	Carbon (C)	[7440-44-0]	0,6	%
------------------------	------------	-------------	-----	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5,	Cobalt (Co)	[7440-48-4]	0,036	%
------------------------	-------------	-------------	-------	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5,	Chromium (Cr)	[7440-47-3]	0,28	%
------------------------	---------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5,	Copper (Cu)	[7440-50-8]	0,26	%
------------------------	-------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5,	Manganese (Mn)	[7439-96-5]	0,81	%
------------------------	----------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5,	Molybdenum (Mo)	[7439-98-7]	0,41	%
------------------------	-----------------	-------------	------	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5,	Nitrogen (N)	[7727-37-9]	0,0081	%
------------------------	--------------	-------------	--------	---

Tool Steel, RM, 7 mm di

sc

BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Niobium (Nb)	[7440-03-1]	~0,002	%
BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Nickel (Ni)	[7440-02-0]	0,24	%
BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Phosphorus (P)	[7723-14-0]	0,011	%
BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Lead (Pb)	[7439-92-1]	0,022	%
BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Sulfur (S)	[7704-34-9]	0,012	%
BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Silicon (Si)	[7440-21-3]	2,08	%
BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Tin (Sn)	[7440-31-5]	0,022	%
BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Titanium (Ti)	[7440-32-6]	0,007	%
BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Vanadium (V)	[7440-62-2]	0,214	%
BS-38C-7MM: Iron, S-5, Tool Steel, RM, 7 mm di sc	Tungsten (W)	[7440-33-7]	0,004	%
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di sc	Carbon (C)	[7440-44-0]	0,529	%
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di sc	Cobalt (Co)	[7440-48-4]	0,043	%
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Chromium (Cr)	[7440-47-3]	3,18	%



sc					
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Copper (Cu)	[7440-50-8]	0,05	%	
sc					
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Manganese (Mn)	[7439-96-5]	0,7	%	
sc					
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Molybdenum (Mo)	[7439-98-7]	1,34	%	
sc					
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Nickel (Ni)	[7440-02-0]	0,1	%	
sc					
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Phosphorus (P)	[7723-14-0]	0,016	%	
sc					
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Sulfur (S)	[7704-34-9]	0,01	%	
sc					
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Silicon (Si)	[7440-21-3]	0,27	%	
sc					
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Vanadium (V)	[7440-62-2]	0,35	%	
sc					
BS-TS7-7MM: Iron, S-7, Tool Steel, RM, 7 mm di	Tungsten (W)	[7440-33-7]	0,19	%	
sc					
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Aluminium (Al)	[7429-90-5]	0,0123	%	
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Boron (B)	[7440-42-8]	~0,0002	%	
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1,	Carbon (C)	[7440-44-0]	0,745	%	

CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					
BS-30D-7MM: Iron Base,	Calcium (Ca)	[7440-70-2]	0,0004		%
Tool Steel, Alloy: T-1,					
CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					
BS-30D-7MM: Iron Base,	Cobalt (Co)	[7440-48-4]	0,101		%
Tool Steel, Alloy: T-1,					
CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					
BS-30D-7MM: Iron Base,	Chromium (Cr)	[7440-47-3]	3,93		%
Tool Steel, Alloy: T-1,					
CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					
BS-30D-7MM: Iron Base,	Copper (Cu)	[7440-50-8]	0,116		%
Tool Steel, Alloy: T-1,					
CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					
BS-30D-7MM: Iron Base,	Iron (Fe)	[7439-89-6]	[75,0]		%
Tool Steel, Alloy: T-1,					
CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					
BS-30D-7MM: Iron Base,	Magnesium (Mg)	[7439-95-4]	~0,001		%
Tool Steel, Alloy: T-1,					
CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					
BS-30D-7MM: Iron Base,	Manganese (Mn)	[7439-96-5]	0,348		%
Tool Steel, Alloy: T-1,					
CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					
BS-30D-7MM: Iron Base,	Molybdenum (Mo)	[7439-98-7]	0,342		%
Tool Steel, Alloy: T-1,					
CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					
BS-30D-7MM: Iron Base,	Nitrogen (N)	[7727-37-9]	0,0168		%
Tool Steel, Alloy: T-1,					
CRM, ISO 17025, Disc 3					
8 mm x ~7 mm					

BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Niobium (Nb)	[7440-03-1]	0,0071	%
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Nickel (Ni)	[7440-02-0]	0,191	%
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Oxygen (O)	[7782-44-7]	0,0019	%
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Phosphorus (P)	[7723-14-0]	0,029	%
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Lead (Pb)	[7439-92-1]	~0,0002	%
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Sulfur (S)	[7704-34-9]	0,001	%
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Antimony (Sb)	[7440-36-0]	0,0032	%
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Silicon (Si)	[7440-21-3]	0,301	%
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1, CRM, ISO 17025, Disc 3 8 mm x ~7 mm	Tin (Sn)	[7440-31-5]	0,0246	%
BS-30D-7MM: Iron Base, Tool Steel, Alloy: T-1,	Tantalum (Ta)	[7440-25-7]	~0,02	%

CRM, ISO 17025, Disc 3

8 mm x ~7 mm

BS-30D-7MM: Iron Base,	Titanium (Ti)	[7440-32-6]	0,0189	%
------------------------	---------------	-------------	--------	---

Tool Steel, Alloy: T-1,

CRM, ISO 17025, Disc 3

8 mm x ~7 mm

BS-30D-7MM: Iron Base,	Vanadium (V)	[7440-62-2]	1,077	%
------------------------	--------------	-------------	-------	---

Tool Steel, Alloy: T-1,

CRM, ISO 17025, Disc 3

8 mm x ~7 mm

BS-30D-7MM: Iron Base,	Tungsten (W)	[7440-33-7]	17,73	%
------------------------	--------------	-------------	-------	---

Tool Steel, Alloy: T-1,

CRM, ISO 17025, Disc 3

8 mm x ~7 mm

BS-30D-7MM: Iron Base,	Zirconium (Zr)	[7440-67-7]	~0,0001	%
------------------------	----------------	-------------	---------	---

Tool Steel, Alloy: T-1,

CRM, ISO 17025, Disc 3

8 mm x ~7 mm