

Leaded Bronze Alloy, Chill cast, CRM, Disc Ø 40 mm x 15 mm

Art. ID MBH-32XLB13D
Unit disc
Deliverydetails No Dangerous Good /not restricted

Description

These standards would be ideal for use as calibration standards to cover a range of concentrations for XRF, or as type standards for OES.

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Batch D	Silver (Ag)	[7440-22-4]	0,0249 ± 0,0009	%		
Batch D	Aluminium (Al)	[7429-90-5]	0,0014 ± 0,0004	%		
Batch D	Arsenic (As)	[7440-38-2]	0,118 ± 0,005	%		
Batch D	Bismuth (Bi)	[7440-69-9]	0,058 ± 0,002	%		
Batch D	Cadmium (Cd)	[7440-43-9]	0,0006 ± 0,0002	%		
Batch D	Cobalt (Co)	[7440-48-4]	0,0044 ± 0,0002	%		
Batch D	Copper (Cu)	[7440-50-8]	85,1 ± 0,1	%		
Batch D	Iron (Fe)	[7439-89-6]	0,0159 ± 0,0006	%		
Batch D	Nickel (Ni)	[7440-02-0]	0,629 ± 0,006	%		
Batch D	Phosphorus (P)	[7723-14-0]	0,033 ± 0,001	%		
Batch D	Lead (Pb)	[7439-92-1]	7,04 ± 0,04	%		
Batch D	Sulfur (S)	[7704-34-9]	0,074 ± 0,004	%		
Batch D	Antimony (Sb)	[7440-36-0]	0,092 ± 0,002	%		
Batch D	Silicon (Si)	[7440-21-3]	0,008 ± 0,001	%		
Batch D	Tin (Sn)	[7440-31-5]	5,98 ± 0,02	%		
Batch D	Zinc (Zn)	[7440-66-6]	0,77 ± 0,01	%		