

Lead/Calcium Battery Alloy, 50 g Chips

Art. ID MBH-84XBA12D-C
Unit 50 g
Deliverydetails No Dangerous Good /not restricted

| Text/Information | Analyte/Parameter | CAS number | Concentration/Value | Unit | Method | Source |
|------------------|-------------------|-------------|---------------------|------|--------|--------|
| | Silver (Ag) | [7440-22-4] | 0,0054 | % | | |
| | Aluminium (Al) | [7429-90-5] | 0,024 | % | | |
| | Arsenic (As) | [7440-38-2] | ~0,0005 | % | | |
| | Bismuth (Bi) | [7440-69-9] | 0,0174 | % | | |
| | Calcium (Ca) | [7440-70-2] | 0,0642 | % | | |
| | Cadmium (Cd) | [7440-43-9] | 0,00082 | % | | |
| | Copper (Cu) | [7440-50-8] | 0,00123 | % | | |
| | Magnesium (Mg) | [7439-95-4] | 0,00081 | % | | |
| | Antimony (Sb) | [7440-36-0] | 0,0018 | % | | |
| | Tin (Sn) | [7440-31-5] | 1,42 | % | | |
| | Zinc (Zn) | [7440-66-6] | 0,0033 | % | | |