

Gold Ore, CRM, Au values Fire Assay, Aqua regia, Powder 10g or 200g

Art. ID GEO-GBMS304-3
Unit Powder 10g or 200g

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Gold (Au)	[7440-57-5]	0,000268	%	Fire Assay	
Certified value	Gold (Au)	[7440-57-5]	0,000251	%	Aqua Regia	
Certified value	Silver (Ag)	[7440-22-4]	0,00015	%		
Certified value	Copper (Cu)	[7440-50-8]	0,3637	%		
Certified value	Lead (Pb)	[7439-92-1]	0,0159	%		
Certified value	Zinc (Zn)	[7440-66-6]	0,0143	%		
Certified value	Nickel (Ni)	[7440-02-0]	0,0376	%		
Certified value	Arsenic (As)	[7440-38-2]	0,0263	%		
Certified value	Cobalt (Co)	[7440-48-4]	0,0137	%		
Certified value	Sulfur (S)	[7704-34-9]	2,35	%		
Single analysis only - Not certified	Antimony (Sb)	[7440-36-0]	0,000137	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Arsenic (As)	[7440-38-2]	0,0262	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Barium (Ba)	[7440-39-3]	<0,01	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Bromine (Br)	[7726-95-6]	0,000165	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cadmium (Cd)	[7440-43-9]	nr	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cerium (Ce)	[7440-45-1]	0,009835	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Caesium (Cs)	[7440-46-2]	0,000835	%	Neutron ac tivation a nalyzes	
Single analysis only -	Chromium (Cr)	[7440-47-3]	0,02665	%	Neutron ac	

Not certified					tivation a nalyzes
Single analysis only - Not certified	Cobalt (Co)	[7440-48-4]	0,014425	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Europium (Eu)	[7440-53-1]	0,000059	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Gold (Au)	[7440-57-5]	0,0002645	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Hafnium (Hf)	[7440-58-6]	0,000445	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iridium (Ir)	[7439-88-5]	<0,000002	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iron (Fe)	[7439-89-6]	3,81	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lanthanum (La)	[7439-91-0]	0,004973	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lutetium (Lu)	[7439-94-3]	0,000034	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Molybdenum (Mo)	[7439-98-7]	0,000585	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Nickel (Ni)	[7440-02-0]	nr	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Rubidium (Rb)	[7440-17-7]	0,0426	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Samarium (Sm)	[7440-19-9]	0,000701	%	Neutron ac tivation a nalyzes

Single analysis only - Not certified	Scandium (Sc)	[7440-20-2]	0,001053	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Selenium (Se)	[7782-49-2]	<0,0005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Sodium (Na)	[7440-23-5]	1,6	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tantalum (Ta)	[7440-25-7]	<0,0001	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tellurium (Te)	[13494-80-9]	<0,0005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Terbium (Tb)	[7440-27-9]	nr	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Thorium (Th)	[7440-29-1]	0,000616	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tin (Sn)	[7440-31-5]	nr	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tungsten (W)	[7440-33-7]	0,007718	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Uranium (U)	[7440-61-1]	<0,0002	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Ytterbium (Yb)	[7440-64-4]	0,00024	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Zinc (Zn)	[7440-66-6]	0,015425	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Zirconium (Zr)	[7440-67-7]	<0,05	%	Neutron ac tivation a

						analyses
Single analysis only - Not certified	Calcium (Ca)	[7440-70-2]	3,55	%		Neutron ac tivation a nalyses
Single analysis only - Not certified	Potassium (K)	[7440-09-7]	3,08	%		Neutron ac tivation a nalyses
Single analysis only - Not certified	Silver (Ag)	[7440-22-4]	<0,0005	%		Neutron ac tivation a nalyses
Single analysis only - Not certified	Mercury (Hg)	[7439-97-6]	nr	%		Neutron ac tivation a nalyses
Single analysis only - Not certified	Neodymium (Nd)	[7440-00-8]	nr	%		Neutron ac tivation a nalyses
Single analysis only - Not certified	Strontium (Sr)	[7440-24-6]	nr	%		Neutron ac tivation a nalyses
Indicative value	Iron (Fe)	[7439-89-6]	nr	%		Fusion / X RF
Indicative value	SiO ₂		nr	%		Fusion / X RF
Indicative value	Al ₂ O ₃		nr	%		Fusion / X RF
Indicative value	TiO ₂		nr	%		Fusion / X RF
Indicative value	MnO		nr	%		Fusion / X RF
Indicative value	CaO		nr	%		Fusion / X RF
Indicative value	Phosphorus (P)	[7723-14-0]	nr	%		Fusion / X RF
Indicative value	Sulfur (S)	[7704-34-9]	nr	%		Fusion / X RF
Indicative value	MgO	[1309-48-4]	nr	%		Fusion / X RF
Indicative value	K ₂ O		nr	%		Fusion / X

				RF
Indicative value	Na ₂ O	nr	%	Fusion / X
				RF
Indicative value	Loss on Ignition (L,O,I ,) (1000 °C)	nr	%	Fusion / X
				RF