

### **Certified Gold Reference Material (Medium grade ore, low sulphide)**

Art. ID GEO-G921-7  
Unit Powder 10g or 1 kg  
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Gold (Au)	[7440-57-5]	2,04 ± 0,011	ppm	Fire Assay	
Certified value	Gold (Au)	[7440-57-5]	2 ± 0,026	ppm	Aqua Regia	
Single analysis only - Not certified	Antimony (Sb)	[7440-36-0]	<0,00002	%	Neutron activation analyses	
Single analysis only - Not certified	Arsenic (As)	[7440-38-2]	0,00009	%	Neutron activation analyses	
Single analysis only - Not certified	Barium (Ba)	[7440-39-3]	0,0376	%	Neutron activation analyses	
Single analysis only - Not certified	Bromine (Br)	[7726-95-6]	<0,0002	%	Neutron activation analyses	
Single analysis only - Not certified	Cadmium (Cd)	[7440-43-9]	<0,001	%	Neutron activation analyses	
Single analysis only - Not certified	Cerium (Ce)	[7440-45-1]	0,0036	%	Neutron activation analyses	
Single analysis only - Not certified	Caesium (Cs)	[7440-46-2]	<0,0002	%	Neutron activation analyses	
Single analysis only - Not certified	Chromium (Cr)	[7440-47-3]	0,0104	%	Neutron activation analyses	
Single analysis only - Not certified	Cobalt (Co)	[7440-48-4]	0,0024	%	Neutron activation analyses	
Single analysis only - Not certified	Europium (Eu)	[7440-53-1]	0,00011	%	Neutron activation analyses	

Single analysis only - Not certified	Gold (Au)	[7440-57-5]	0,000208	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Hafnium (Hf)	[7440-58-6]	<0,0005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iridium (Ir)	[7439-88-5]	<0,000005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iron (Fe)	[7439-89-6]	5,4	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lanthanum (La)	[7439-91-0]	0,0019	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lutetium (Lu)	[7439-94-3]	0,00004	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Molybdenum (Mo)	[7439-98-7]	<0,001	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Nickel (Ni)	[7440-02-0]	0,0026	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Rubidium (Rb)	[7440-17-7]	0,0094	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Samarium (Sm)	[7440-19-9]	0,00046	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Scandium (Sc)	[7440-20-2]	0,00189	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Selenium (Se)	[7782-49-2]	<0,001	%	Neutron ac tivation a nalyzes
Single analysis only -	Sodium (Na)	[7440-23-5]	2,4	%	Neutron ac

Not certified						tivation a nalyzes
Single analysis only - Not certified	Tantalum (Ta)	[7440-25-7]	<0,0002	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tellurium (Te)	[13494-80-9]	<0,002	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Terbium (Tb)	[7440-27-9]	0,0001	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Thorium (Th)	[7440-29-1]	0,00121	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tin (Sn)	[7440-31-5]	<0,02	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tungsten (W)	[7440-33-7]	<0,0002	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Uranium (U)	[7440-61-1]	0,0007	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Ytterbium (Yb)	[7440-64-4]	0,00028	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Zinc (Zn)	[7440-66-6]	<0,02	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Zirconium (Zr)	[7440-67-7]	<0,05	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Calcium	[7440-70-2]	nr	%		Neutron ac tivation a nalyzes
Single analysis only - Not certified	Potassium (K)	[7440-09-7]	nr	%		Neutron ac tivation a nalyzes

Single analysis only - Not certified	Silver (Ag)	[7440-22-4]	<0,0005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Mercury (Hg)	[7439-97-6]	nr	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Neodymium (Nd)	[7440-00-8]	nr	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Strontium (Sr)	[7440-24-6]	nr	%	Neutron ac tivation a nalyzes
Indicative value	Iron (Fe)	[7439-89-6]	5,12	%	Fusion / X RF
Indicative value	SiO <sub>2</sub>		62,5	%	Fusion / X RF
Indicative value	Al <sub>2</sub> O <sub>3</sub>		14,03	%	Fusion / X RF
Indicative value	TiO <sub>2</sub>		1,07	%	Fusion / X RF
Indicative value	MnO		0,11	%	Fusion / X RF
Indicative value	CaO		5,56	%	Fusion / X RF
Indicative value	Phosphorus (P)	[7723-14-0]	0,052	%	Fusion / X RF
Indicative value	Sulfur (S)	[7704-34-9]	0,03	%	Fusion / X RF
Indicative value	MgO	[1309-48-4]	3,25	%	Fusion / X RF
Indicative value	K <sub>2</sub> O		2,11	%	Fusion / X RF
Indicative value	Na <sub>2</sub> O		3,24	%	Fusion / X RF
Indicative value	Loss on Ignition (L.O.I ) (1000 °C)		0,44	%	Fusion / X RF