

**Refractory, CRM, Magnesia, set of 10 x 20 g (1 x 20 g each of JRRM-401, JRRM-402, JRRM-403, JRRM-404, JRRM-405, JRRM-406, JRRM-407, JRRM-408, JRRM-409 and JRRM-410), Powder**

Art. ID JRRM-401-410  
Unit 10 x 20 g (powder)  
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
JRRM-401: Refractory, C RM, Magnesia, Powder	Al <sub>2</sub> O <sub>3</sub>		8,1	%		
JRRM-401: Refractory, C RM, Magnesia, Powder	B <sub>2</sub> O <sub>3</sub>		~0,01	%		
JRRM-401: Refractory, C RM, Magnesia, Powder	CaO		0,2	%		
JRRM-401: Refractory, C RM, Magnesia, Powder	Fe <sub>2</sub> O <sub>3</sub>		3,89	%		
JRRM-401: Refractory, C RM, Magnesia, Powder	MgO	[1309-48-4]	81,24	%		
JRRM-401: Refractory, C RM, Magnesia, Powder	MnO		~0,01	%		
JRRM-401: Refractory, C RM, Magnesia, Powder	P <sub>2</sub> O <sub>5</sub>		~0,03	%		
JRRM-401: Refractory, C RM, Magnesia, Powder	SiO <sub>2</sub>		6,42	%		
JRRM-401: Refractory, C RM, Magnesia, Powder	TiO <sub>2</sub>		~0,01	%		
JRRM-402: Refractory, C RM, Magnesia, Powder	Al <sub>2</sub> O <sub>3</sub>		1,99	%		
JRRM-402: Refractory, C RM, Magnesia, Powder	B <sub>2</sub> O <sub>3</sub>		~0,12	%		
JRRM-402: Refractory, C RM, Magnesia, Powder	CaO		3,57	%		
JRRM-402: Refractory, C RM, Magnesia, Powder	Fe <sub>2</sub> O <sub>3</sub>		5,05	%		
JRRM-402: Refractory, C RM, Magnesia, Powder	MgO	[1309-48-4]	83,77	%		
JRRM-402: Refractory, C RM, Magnesia, Powder	MnO		~0,01	%		

JRRM-402: Refractory, C	Na2O		~0,01	%
RM, Magnesia, Powder				
JRRM-402: Refractory, C	P2O5		~0,07	%
RM, Magnesia, Powder				
JRRM-402: Refractory, C	SiO2		5,46	%
RM, Magnesia, Powder				
JRRM-402: Refractory, C	TiO2		~0,02	%
RM, Magnesia, Powder				
JRRM-403: Refractory, C	Al2O3		4,06	%
RM, Magnesia, Powder				
JRRM-403: Refractory, C	B2O3		~0,03	%
RM, Magnesia, Powder				
JRRM-403: Refractory, C	CaO		0,61	%
RM, Magnesia, Powder				
JRRM-403: Refractory, C	Cr2O3		~0,01	%
RM, Magnesia, Powder				
JRRM-403: Refractory, C	Fe2O3		1,55	%
RM, Magnesia, Powder				
JRRM-403: Refractory, C	MgO	[1309-48-4]	85,48	%
RM, Magnesia, Powder				
JRRM-403: Refractory, C	MnO		~0,01	%
RM, Magnesia, Powder				
JRRM-403: Refractory, C	P2O5		~0,04	%
RM, Magnesia, Powder				
JRRM-403: Refractory, C	SiO2		8,14	%
RM, Magnesia, Powder				
JRRM-404: Refractory, C	Al2O3		6,01	%
RM, Magnesia, Powder				
JRRM-404: Refractory, C	B2O3		~0,01	%
RM, Magnesia, Powder				
JRRM-404: Refractory, C	CaO		1,78	%
RM, Magnesia, Powder				
JRRM-404: Refractory, C	Fe2O3		2,9	%
RM, Magnesia, Powder				
JRRM-404: Refractory, C	MgO	[1309-48-4]	88,02	%
RM, Magnesia, Powder				
JRRM-404: Refractory, C	MnO		~0,03	%
RM, Magnesia, Powder				

JRRM-404: Refractory, C	P2O5		~0,05	%
RM, Magnesia, Powder				
JRRM-404: Refractory, C	SiO2		1,22	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	Al2O3		1,37	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	B2O3		~0,01	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	CaO		1,69	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	Cr2O3		~0,01	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	Fe2O3		1,34	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	K2O		~0,01	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	MgO	[1309-48-4]	91,95	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	MnO		~0,07	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	P2O5		~0,12	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	SiO2		3,47	%
RM, Magnesia, Powder				
JRRM-405: Refractory, C	TiO2		~0,05	%
RM, Magnesia, Powder				
JRRM-406: Refractory, C	Al2O3		1,13	%
RM, Magnesia, Powder				
JRRM-406: Refractory, C	B2O3		~0,01	%
RM, Magnesia, Powder				
JRRM-406: Refractory, C	CaO		4,8	%
RM, Magnesia, Powder				
JRRM-406: Refractory, C	Fe2O3		0,87	%
RM, Magnesia, Powder				
JRRM-406: Refractory, C	MgO	[1309-48-4]	91,85	%
RM, Magnesia, Powder				
JRRM-406: Refractory, C	MnO		~0,01	%
RM, Magnesia, Powder				

JRRM-406: Refractory, C	P2O5		~0,04	%
RM, Magnesia, Powder				
JRRM-406: Refractory, C	SiO2		1,19	%
RM, Magnesia, Powder				
JRRM-407: Refractory, C	Al2O3		0,1	%
RM, Magnesia, Powder				
JRRM-407: Refractory, C	B2O3		~0,02	%
RM, Magnesia, Powder				
JRRM-407: Refractory, C	CaO		0,67	%
RM, Magnesia, Powder				
JRRM-407: Refractory, C	Cr2O3		~0,08	%
RM, Magnesia, Powder				
JRRM-407: Refractory, C	Fe2O3		2,14	%
RM, Magnesia, Powder				
JRRM-407: Refractory, C	MgO	[1309-48-4]	94,55	%
RM, Magnesia, Powder				
JRRM-407: Refractory, C	MnO		~0,01	%
RM, Magnesia, Powder				
JRRM-407: Refractory, C	P2O5		~0,04	%
RM, Magnesia, Powder				
JRRM-407: Refractory, C	SiO2		2,43	%
RM, Magnesia, Powder				
JRRM-408: Refractory, C	Al2O3		2,55	%
RM, Magnesia, Powder				
JRRM-408: Refractory, C	B2O3		~0,09	%
RM, Magnesia, Powder				
JRRM-408: Refractory, C	CaO		0,67	%
RM, Magnesia, Powder				
JRRM-408: Refractory, C	Fe2O3		0,13	%
RM, Magnesia, Powder				
JRRM-408: Refractory, C	MgO	[1309-48-4]	96,16	%
RM, Magnesia, Powder				
JRRM-408: Refractory, C	MnO		~0,01	%
RM, Magnesia, Powder				
JRRM-408: Refractory, C	P2O5		~0,01	%
RM, Magnesia, Powder				
JRRM-408: Refractory, C	SiO2		0,46	%
RM, Magnesia, Powder				

JRRM-409: Refractory, C	Al <sub>2</sub> O <sub>3</sub>		0,2	%
RM, Magnesia, Powder				
JRRM-409: Refractory, C	B <sub>2</sub> O <sub>3</sub>		~0,03	%
RM, Magnesia, Powder				
JRRM-409: Refractory, C	CaO		0,74	%
RM, Magnesia, Powder				
JRRM-409: Refractory, C	Cr <sub>2</sub> O <sub>3</sub>		~0,01	%
RM, Magnesia, Powder				
JRRM-409: Refractory, C	Fe <sub>2</sub> O <sub>3</sub>		0,49	%
RM, Magnesia, Powder				
JRRM-409: Refractory, C	MgO	[1309-48-4]	98,03	%
RM, Magnesia, Powder				
JRRM-409: Refractory, C	MnO		~0,01	%
RM, Magnesia, Powder				
JRRM-409: Refractory, C	P <sub>2</sub> O <sub>5</sub>		~0,02	%
RM, Magnesia, Powder				
JRRM-409: Refractory, C	SiO <sub>2</sub>		0,53	%
RM, Magnesia, Powder				
JRRM-410: Refractory, C	Al <sub>2</sub> O <sub>3</sub>		0,05	%
RM, Magnesia, Powder				
JRRM-410: Refractory, C	B <sub>2</sub> O <sub>3</sub>		~0,02	%
RM, Magnesia, Powder				
JRRM-410: Refractory, C	CaO		0,59	%
RM, Magnesia, Powder				
JRRM-410: Refractory, C	Fe <sub>2</sub> O <sub>3</sub>		0,05	%
RM, Magnesia, Powder				
JRRM-410: Refractory, C	MgO	[1309-48-4]	99,08	%
RM, Magnesia, Powder				
JRRM-410: Refractory, C	MnO		~0,01	%
RM, Magnesia, Powder				
JRRM-410: Refractory, C	P <sub>2</sub> O <sub>5</sub>		~0,04	%
RM, Magnesia, Powder				
JRRM-410: Refractory, C	SiO <sub>2</sub>		0,18	%
RM, Magnesia, Powder				