

Multimetal Ore, CRM, Nickel ore ex Pilbara, Powder

Art. ID GEO-GBM998-10
Unit 250 g (powder)
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Nickel (Ni)	[7440-02-0]	2,361	%		
Certified value	Copper (Cu)	[7440-50-8]	1,5414	%		
Certified value	Zinc (Zn)	[7440-66-6]	0,009	%		
Certified value	Lead	[7439-92-1]	0,0041	%		
Certified value	Arsenic (As)	[7440-38-2]	0,0025	%		
Certified value	Cobalt (Co)	[7440-48-4]	0,1202	%		
Certified value	Silver (Ag)	[7440-22-4]	0,0000003	%		
Single analysis only - Not certified	Antimony (Sb)	[7440-36-0]	0,00001	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Arsenic (As)	[7440-38-2]	0,00292	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Barium (Ba)	[7440-39-3]	<0,01	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Bromine (Br)	[7726-95-6]	<0,0002	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cerium (Ce)	[7440-45-1]	0,0013	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Caesium (Cs)	[7440-46-2]	<0,0003	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Chromium (Cr)	[7440-47-3]	0,02425	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cobalt (Co)	[7440-48-4]	0,136	%	Neutron ac tivation a nalyzes	

Single analysis only - Not certified	Gold (Au)	[7440-57-5]	0,1065	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Hafnium (Hf)	[7440-58-6]	0,000093	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iridium (Ir)	[7439-88-5]	0,0000152	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iron (Fe)	[7439-89-6]	38,25	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lanthanum (La)	[7439-91-0]	0,000669	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lutetium (Lu)	[7439-94-3]	<0,00002	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Molybdenum (Mo)	[7439-98-7]	<0,0005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Rubidium (Rb)	[7440-17-7]	<0,003	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Samarium (Sm)	[7440-19-9]	0,000129	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Scandium (Sc)	[7440-20-2]	0,000973	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Selenium (Se)	[7782-49-2]	0,001015	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Sodium (Na)	[7440-23-5]	0,4	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tantalum (Ta)	[7440-25-7]	<0,0003	%	Neutron ac tivation a

					nalyses
Single analysis only - Not certified	Tellurium (Te)	[13494-80-9]	<0,0005	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Thorium (Th)	[7440-29-1]	<0,00005	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Tungsten (W)	[7440-33-7]	<0,0006	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Uranium (U)	[7440-61-1]	<0,0002	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Ytterbium (Yb)	[7440-64-4]	0,00005	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Zinc (Zn)	[7440-66-6]	<0,01	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Zirconium (Zr)	[7440-67-7]	<0,05	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Calcium	[7440-70-2]	3,47	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Potassium (K)	[7440-09-7]	<0,2	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Silver (Ag)	[7440-22-4]	<0,0005	%	Neutron ac tivation a nalyses
Indicative value	Iron (Fe)	[7439-89-6]	37,2	%	Fusion / X RF
Indicative value	SiO ₂		16,2	%	Fusion / X RF
Indicative value	Al ₂ O ₃		2,14	%	Fusion / X RF
Indicative value	TiO ₂		0,19	%	Fusion / X

					RF
Indicative value	MnO		0,08	%	Fusion / X
					RF
Indicative value	CaO		3,6	%	Fusion / X
					RF
Indicative value	Phosphorus (P)	[7723-14-0]	0,016	%	Fusion / X
					RF
Indicative value	Sulfur (S)	[7704-34-9]	23,92	%	Fusion / X
					RF
Indicative value	MgO	[1309-48-4]	3,19	%	Fusion / X
					RF
Indicative value	K ₂ O		0,14	%	Fusion / X
					RF
Indicative value	Na ₂ O		0,59	%	Fusion / X
					RF
Indicative value	Loss on Ignition (L.O.I) (1000 °C)		14,26	%	