

### Gold Ore, CRM, Low grade oxide materials, Powder

Art. ID GEO-GLG313-5  
Unit 1 kg (powder)  
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Gold (Au)	[7440-57-5]	0,000008415 ± 0,0000001 13	%		
Single analysis only - Not certified	Antimony (Sb)	[7440-36-0]	0,000063	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Arsenic (As)	[7440-38-2]	<0,0000298	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Barium (Ba)	[7440-39-3]	0,04185	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Bromine (Br)	[7726-95-6]	0,000074	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cadmium (Cd)	[7440-43-9]	<0,000155	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cerium (Ce)	[7440-45-1]	0,00368	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Caesium (Cs)	[7440-46-2]	0,000209	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Chromium (Cr)	[7440-47-3]	0,00773	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cobalt (Co)	[7440-48-4]	0,00166	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Europium (Eu)	[7440-53-1]	0,000094	%	Neutron ac tivation a	

Single analysis only - Not certified	Gold (Au)	[7440-57-5]	0,0000087	%	analyses Neutron ac tivation a analyses
Single analysis only - Not certified	Hafnium (Hf)	[7440-58-6]	0,000392	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Iridium (Ir)	[7439-88-5]	#DIV/0!	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Iron (Fe)	[7439-89-6]	4,58	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Lanthanum (La)	[7439-91-0]	0,0022	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Lutetium (Lu)	[7439-94-3]	0,000036	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Molybdenum (Mo)	[7439-98-7]	0,000143	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Nickel (Ni)	[7440-02-0]	0,00196	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Rubidium (Rb)	[7440-17-7]	0,01255	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Samarium (Sm)	[7440-19-9]	0,000424	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Scandium (Sc)	[7440-20-2]	0,001485	%	Neutron ac tivation a analyses
Single analysis only - Not certified	Selenium (Se)	[7782-49-2]	<0,000177	%	Neutron ac tivation a analyses
Single analysis only -	Sodium (Na)	[7440-23-5]	2,42	%	Neutron ac

Not certified					tivation a nalyzes
Single analysis only - Not certified	Tantalum (Ta)	[7440-25-7]	0,000145	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tellurium (Te)	[13494-80-9]	<0,000374	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Terbium (Tb)	[7440-27-9]	0,000096	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Thorium (Th)	[7440-29-1]	0,0016	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tin (Sn)	[7440-31-5]	<0,00473	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tungsten (W)	[7440-33-7]	<0,0000692	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Uranium (U)	[7440-61-1]	0,000933	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Ytterbium (Yb)	[7440-64-4]	0,000281	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Zinc (Zn)	[7440-66-6]	0,009885	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Zirconium (Zr)	[7440-67-7]	<0,0157	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Calcium (Ca)	[7440-70-2]	nr	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Potassium (K)	[7440-09-7]	nr	%	Neutron ac tivation a nalyzes

Single analysis only - Not certified	Silver (Ag)	[7440-22-4]	<0,0000843	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Mercury (Hg)	[7439-97-6]	nr	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Neodymium (Nd)	[7440-00-8]	nr	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Strontium (Sr)	[7440-24-6]	nr	%	Neutron ac tivation a nalyzes
Indicative value	Iron (Fe)	[7439-89-6]	4,48	%	Fusion / X RF
Indicative value	SiO <sub>2</sub>		64,29	%	Fusion / X RF
Indicative value	Al <sub>2</sub> O <sub>3</sub>		13,81	%	Fusion / X RF
Indicative value	TiO <sub>2</sub>		0,89	%	Fusion / X RF
Indicative value	MnO		0,08	%	Fusion / X RF
Indicative value	CaO		4,52	%	Fusion / X RF
Indicative value	Phosphorus (P)	[7723-14-0]	0,04	%	Fusion / X RF
Indicative value	Sulfur (S)	[7704-34-9]	0,04	%	Fusion / X RF
Indicative value	MgO	[1309-48-4]	2,6	%	Fusion / X RF
Indicative value	K <sub>2</sub> O		2,57	%	Fusion / X RF
Indicative value	Na <sub>2</sub> O		nr	%	Fusion / X RF
Indicative value	Loss on Ignition (L.O.I ) (1000 °C)		0,22	%	