

## **Certified Reference Material - TCLP Volatiles**

Art. ID	ERA-730
Unit	each
Deliverydetails	No Dangerous Good /not restricted

### Description

One 2 mL flame-sealed ampule containing a subset of the analytes listed below, each at a concentration of 0.05-2.0 mg/L. The certified values vary from batch to batch. Please ask for the certificate.

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
	1,1-Dichloroethene	[75-35-4]	0,05 - 2,0	mg/L		
	1,2-Dichloroethane	[107-06-2]	0,05 - 2,0	mg/L		
	1,4-Dichlorobenzene	[106-46-7]	0,05 - 2,0	mg/L		
	2-Butanone	[78-93-3]	0,05 - 2,0	mg/L		
	Benzene	[71-43-2]	0,05 - 2,0	mg/L		
	Chlorobenzene	[108-90-7]	0,05 - 2,0	mg/L		
	Chloroform (Trichlorome thane)	[67-66-3]	0,05 - 2,0	mg/L		
	Tetrachloroethene	[127-18-4]	0,05 - 2,0	mg/L		
	Trichloroethene	[79-01-6]	0,05 - 2,0	mg/L		
	Vinyl chloride	[75-01-4]	0,05 - 2,0	mg/L		