

Certified Reference Material - TCLP Volatiles

Art. ID ERA-730
Unit each
Deliverydetails No Dangerous Good /not restricted

Description

One 2 mL flame-sealed ampule containing a subset of the analytes listed below, each at a concentration of 0.05-2.0 mg/L. The certified values vary from batch to batch. Please ask for the certificate.

| Text/Information | Analyte/Parameter | CAS number | Concentration/Value | Unit | Method | Source |
|------------------|-----------------------------------|------------|---------------------|------|--------|--------|
| | 1,1-Dichloroethene | [75-35-4] | 0,05 - 2,0 | mg/L | | |
| | 1,2-Dichloroethane | [107-06-2] | 0,05 - 2,0 | mg/L | | |
| | 1,4-Dichlorobenzene | [106-46-7] | 0,05 - 2,0 | mg/L | | |
| | 2-Butanone | [78-93-3] | 0,05 - 2,0 | mg/L | | |
| | Benzene | [71-43-2] | 0,05 - 2,0 | mg/L | | |
| | Chlorobenzene | [108-90-7] | 0,05 - 2,0 | mg/L | | |
| | Chloroform (Trichlorome thane) | [67-66-3] | 0,05 - 2,0 | mg/L | | |
| | Tetrachloroethene | [127-18-4] | 0,05 - 2,0 | mg/L | | |
| | Trichloroethene | [79-01-6] | 0,05 - 2,0 | mg/L | | |
| | Vinyl chloride | [75-01-4] | 0,05 - 2,0 | mg/L | | |