

Glass - Setting up sample (SUS) - disc 40 mm x 5 mm

Art. ID XRF-RKU-009
Unit disc
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
	SiO ₂		57,43	%		
	Al ₂ O ₃		2	%		
	Li ₂ O		1	%		
	Na ₂ O		15	%		
	K ₂ O		2	%		
	MgO	[1309-48-4]	2	%		
	CaO		7	%		
	BaO		1	%		
	TiO ₂		5	%		
	Cr ₂ O ₃		0,2	%		
	MoO ₃		0,5	%		
	Fe ₂ O ₃		1	%		
	Co ₃ O ₄		0,1	%		
	ZnO		1	%		
	As ₂ O ₃		0,5	%		
	Sb ₂ O ₃		0,5	%		
	SO ₃		0,1	%		
	Selenium (Se)	[7782-49-2]	0,05	%		
	La ₂ O ₃		1	%		
	Er ₂ O ₃		0,01	%		
	Nd ₂ O ₃		0,1	%		
	Pr ₂ O ₃		0,1	%		
	MnO		0,1	%		
	SrO		0,05	%		
	SnO		0,1	%		
	Nb ₂ O ₅		0,05	%		
	Y ₂ O ₃		0,05	%		
	Ta ₂ O ₅		0,05	%		
	Gd ₂ O ₃		0,01	%		
	WO ₃		2	%		