

Gold Reference Material - Run of mine composite

Art. ID GEO-G913-2
Unit each
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Gold (Au)	[7440-57-5]	0,00024	%	Fire Assay	
Certified value	Gold (Au)	[7440-57-5]	0,000242	%	Aqua Regia	
Single analysis only - Not certified	Antimony (Sb)	[7440-36-0]	0,00001	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Arsenic (As)	[7440-38-2]	0,0000254	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Barium (Ba)	[7440-39-3]	0,0429	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Bromine (Br)	[7726-95-6]	0,0000505	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cadmium (Cd)	[7440-43-9]	<0,000106	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cerium (Ce)	[7440-45-1]	0,00455	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Caesium (Cs)	[7440-46-2]	0,00032	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Chromium (Cr)	[7440-47-3]	0,00726	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cobalt (Co)	[7440-48-4]	0,00152	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Gold (Au)	[7440-57-5]	0,00027	%	Neutron ac tivation a	

					nalyses
Single analysis only - Not certified	Hafnium (Hf)	[7440-58-6]	0,000426	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Iridium (Ir)	[7439-88-5]	<0,000002	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Iron (Fe)	[7439-89-6]	5,36	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Lanthanum (La)	[7439-91-0]	0,00257	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Lutetium (Lu)	[7439-94-3]	0,0000485	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Molybdenum (Mo)	[7439-98-7]	0,00148	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Nickel (Ni)	[7440-02-0]	0,00153	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Rubidium (Rb)	[7440-17-7]	0,0123	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Samarium (Sm)	[7440-19-9]	0,000465	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Scandium (Sc)	[7440-20-2]	0,00178	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Selenium (Se)	[7782-49-2]	<0,000207	%	Neutron ac tivation a nalyses
Single analysis only - Not certified	Sodium (Na)	[7440-23-5]	2,53	%	Neutron ac tivation a nalyses
Single analysis only -	Tantalum (Ta)	[7440-25-7]	0,000148	%	Neutron ac

Not certified					Neutron activation analyses
Single analysis only - Not certified	Terbium (Tb)	[7440-27-9]	0,000102	%	Neutron activation analyses
Single analysis only - Not certified	Thorium (Th)	[7440-29-1]	0,00177	%	Neutron activation analyses
Single analysis only - Not certified	Tungsten (W)	[7440-33-7]	0,0000695	%	Neutron activation analyses
Single analysis only - Not certified	Uranium (U)	[7440-61-1]	0,000862	%	Neutron activation analyses
Single analysis only - Not certified	Zinc (Zn)	[7440-66-6]	0,00815	%	Neutron activation analyses
Single analysis only - Not certified	Silver (Ag)	[7440-22-4]	0,000343	%	Neutron activation analyses
Indicative value	Iron (Fe)	[7439-89-6]	4,84	%	Fusion / XRF
Indicative value	SiO ₂		64,33	%	Fusion / XRF
Indicative value	Al ₂ O ₃		13,45	%	Fusion / XRF
Indicative value	TiO ₂		1,035	%	Fusion / XRF
Indicative value	MnO		0,1	%	Fusion / XRF
Indicative value	CaO		4,76	%	Fusion / XRF
Indicative value	Phosphorus (P)	[7723-14-0]	0,053	%	Fusion / XRF
Indicative value	Sulfur (S)	[7704-34-9]	0,04	%	Fusion / XRF
Indicative value	MgO	[1309-48-4]	2,52	%	Fusion / XRF

Indicative value	K ₂ O	2,37	%	Fusion / X RF
Indicative value	Na ₂ O	3,45088	%	Fusion / X RF
Indicative value	Loss on Ignition (L.O.I) (1000 °C)	0,33	%	