

**\*\*\*sold out\*\*\* Gold Reference Material - Low sulphide mine ore**

Art. ID GEO-G913-10  
Unit each  
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Gold (Au)	[7440-57-5]	0,000709	%	Fire Assay	
Certified value	Gold (Au)	[7440-57-5]	0,00071	%	Aqua Regia	
Single analysis only - Not certified	Antimony (Sb)	[7440-36-0]	0,00000526	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Arsenic (As)	[7440-38-2]	<0,0000157	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Barium (Ba)	[7440-39-3]	0,0498	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Bromine (Br)	[7726-95-6]	0,0000639	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cadmium (Cd)	[7440-43-9]	<0,000113	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cerium (Ce)	[7440-45-1]	0,00434	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Caesium (Cs)	[7440-46-2]	0,000367	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Chromium (Cr)	[7440-47-3]	0,00336	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Cobalt (Co)	[7440-48-4]	0,000803	%	Neutron ac tivation a nalyzes	
Single analysis only - Not certified	Gold (Au)	[7440-57-5]	0,000765	%	Neutron ac tivation a	

Single analysis only - Not certified	Hafnium (Hf)	[7440-58-6]	0,000394	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iridium (Ir)	[7439-88-5]	<0,000002	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iron (Fe)	[7439-89-6]	3,17	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lanthanum (La)	[7439-91-0]	0,00267	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lutetium (Lu)	[7439-94-3]	0,0000502	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Molybdenum (Mo)	[7439-98-7]	<0,0000951	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Nickel (Ni)	[7440-02-0]	0,00178	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Rubidium (Rb)	[7440-17-7]	0,0153	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Samarium (Sm)	[7440-19-9]	0,000392	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Scandium (Sc)	[7440-20-2]	0,00102	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Selenium (Se)	[7782-49-2]	<0,000312	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Sodium (Na)	[7440-23-5]	2,48	%	Neutron ac tivation a nalyzes
Single analysis only -	Tantalum (Ta)	[7440-25-7]	0,000161	%	Neutron ac

Not certified					tivation a nalyzes
Single analysis only - Not certified	Terbium (Tb)	[7440-27-9]	0,0000755	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Thorium (Th)	[7440-29-1]	0,00214	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tungsten (W)	[7440-33-7]	<0,0000582	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Uranium (U)	[7440-61-1]	0,00108	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Zinc (Zn)	[7440-66-6]	0,00672	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Silver (Ag)	[7440-22-4]	0,000422	%	Neutron ac tivation a nalyzes
Indicative value	Iron (Fe)	[7439-89-6]	3,09	%	Fusion / X RF
Indicative value	SiO <sub>2</sub>		68,64	%	Fusion / X RF
Indicative value	Al <sub>2</sub> O <sub>3</sub>		13,6	%	Fusion / X RF
Indicative value	TiO <sub>2</sub>		0,676	%	Fusion / X RF
Indicative value	MnO		0,07	%	Fusion / X RF
Indicative value	CaO		3,31	%	Fusion / X RF
Indicative value	Phosphorus (P)	[7723-14-0]	0,039	%	Fusion / X RF
Indicative value	Sulfur (S)	[7704-34-9]	0,04	%	Fusion / X RF
Indicative value	MgO	[1309-48-4]	1,57	%	Fusion / X RF

Indicative value	K <sub>2</sub> O	3,03	%	Fusion / X RF
Indicative value	Na <sub>2</sub> O	3,59916	%	Fusion / X RF
Indicative value	Loss on Ignition (L.O.I ) (1000 °C)	0,33	%	