

Gold Reference Material - Gold ore minor Cu Pb Zn

Art. ID GEO-G915-3
 Unit each
 Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Gold (Au)	[7440-57-5]	0,000939	%	Fire Assay	
Certified value	Gold (Au)	[7440-57-5]	0,000922	%	Aqua Regia	
Single analysis only -	Antimony (Sb)	[7440-36-0]	0,0426	%	Neutron activation analyses	
Not certified						
Single analysis only -	Arsenic (As)	[7440-38-2]	0,068	%	Neutron activation analyses	
Not certified						
Single analysis only -	Barium (Ba)	[7440-39-3]	0,025	%	Neutron activation analyses	
Not certified						
Single analysis only -	Bromine (Br)	[7726-95-6]	<0,0002	%	Neutron activation analyses	
Not certified						
Single analysis only -	Cadmium (Cd)	[7440-43-9]	0,0037	%	Neutron activation analyses	
Not certified						
Single analysis only -	Cerium (Ce)	[7440-45-1]	0,0036	%	Neutron activation analyses	
Not certified						
Single analysis only -	Caesium (Cs)	[7440-46-2]	<0,0001	%	Neutron activation analyses	
Not certified						
Single analysis only -	Chromium (Cr)	[7440-47-3]	0,004	%	Neutron activation analyses	
Not certified						
Single analysis only -	Cobalt (Co)	[7440-48-4]	0,0078	%	Neutron activation analyses	
Not certified						
Single analysis only -	Europium (Eu)	[7440-53-1]	0,000163	%	Neutron activation analyses	
Not certified						

nalyse					
Single analysis only -	Gold (Au)	[7440-57-5]	0,000894	%	Neutron activation analyses
Not certified					
Single analysis only -	Hafnium (Hf)	[7440-58-6]	0,0005	%	Neutron activation analyses
Not certified					
Single analysis only -	Iridium (Ir)	[7439-88-5]	<0,000005	%	Neutron activation analyses
Not certified					
Single analysis only -	Iron (Fe)	[7439-89-6]	8,9	%	Neutron activation analyses
Not certified					
Single analysis only -	Lanthanum (La)	[7439-91-0]	0,0021	%	Neutron activation analyses
Not certified					
Single analysis only -	Lutetium (Lu)	[7439-94-3]	0,000047	%	Neutron activation analyses
Not certified					
Single analysis only -	Molybdenum (Mo)	[7439-98-7]	0,00417	%	Neutron activation analyses
Not certified					
Single analysis only -	Nickel (Ni)	[7440-02-0]	0,013	%	Neutron activation analyses
Not certified					
Single analysis only -	Rubidium (Rb)	[7440-17-7]	0,0077	%	Neutron activation analyses
Not certified					
Single analysis only -	Samarium (Sm)	[7440-19-9]	0,00053	%	Neutron activation analyses
Not certified					
Single analysis only -	Scandium (Sc)	[7440-20-2]	0,00231	%	Neutron activation analyses
Not certified					
Single analysis only -	Selenium (Se)	[7782-49-2]	0,0011	%	Neutron activation analyses
Not certified					
Single analysis only -	Sodium (Na)	[7440-23-5]	2,15	%	Neutron activation analyses

Not certified					tivation a nyses
Single analysis only -	Tantalum (Ta)	[7440-25-7]	<0,0002	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Tellurium (Te)	[13494-80-9]	<0,002	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Terbium (Tb)	[7440-27-9]	<0,0001	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Thorium (Th)	[7440-29-1]	0,000993	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Tin (Sn)	[7440-31-5]	<0,02	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Tungsten (W)	[7440-33-7]	0,0008	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Uranium (U)	[7440-61-1]	0,0006	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Ytterbium (Yb)	[7440-64-4]	0,0003	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Zinc (Zn)	[7440-66-6]	1,03	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Zirconium (Zr)	[7440-67-7]	<0,05	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Silver (Ag)	[7440-22-4]	0,002	%	Neutron ac tivation a nyses
Not certified					
Indicative value	Iron (Fe)	[7439-89-6]	8,811188811	%	Fusion / X RF
Indicative value	SiO ₂		53,59	%	Fusion / X

RF				
Indicative value	Al ₂ O ₃	12	%	Fusion / X
				RF
Indicative value	TiO ₂	1,69	%	Fusion / X
				RF
Indicative value	MnO	0,16	%	Fusion / X
				RF
Indicative value	CaO	5,77	%	Fusion / X
				RF
Indicative value	Phosphorus (P)	[7723-14-0]	0,080750764	%
				RF
Indicative value	Sulfur (S)	[7704-34-9]	1,994393272	%
				RF
Indicative value	MgO	[1309-48-4]	2,99	%
				RF
Indicative value	K ₂ O		1,59	%
				RF
Indicative value	Loss on Ignition (L.O.I .)(1000 °C)		0,65	%