

## **Gold Reference Material - High Grade gold ore**

Art. ID GEO-G915-10  
 Unit Powder 10g or 1 kg  
 Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Gold (Au)	[7440-57-5]	0,004868	%	Fire Assay	
Certified value	Gold (Au)	[7440-57-5]	0,004892	%	Aqua Regia	
Single analysis only -	Antimony (Sb)	[7440-36-0]	<0,0000135	%	Neutron activation analyses	
Not certified						
Single analysis only -	Arsenic (As)	[7440-38-2]	<0,0002	%	Neutron activation analyses	
Not certified						
Single analysis only -	Barium (Ba)	[7440-39-3]	0,046	%	Neutron activation analyses	
Not certified						
Single analysis only -	Bromine (Br)	[7726-95-6]	<0,0002	%	Neutron activation analyses	
Not certified						
Single analysis only -	Cadmium (Cd)	[7440-43-9]	<0,001	%	Neutron activation analyses	
Not certified						
Single analysis only -	Cerium (Ce)	[7440-45-1]	0,00458	%	Neutron activation analyses	
Not certified						
Single analysis only -	Caesium (Cs)	[7440-46-2]	0,0003	%	Neutron activation analyses	
Not certified						
Single analysis only -	Chromium (Cr)	[7440-47-3]	0,002	%	Neutron activation analyses	
Not certified						
Single analysis only -	Cobalt (Co)	[7440-48-4]	0,0029	%	Neutron activation analyses	
Not certified						
Single analysis only -	Europium (Eu)	[7440-53-1]	0,000116	%	Neutron activation analyses	
Not certified						

nalyse					
Single analysis only -	Gold (Au)	[7440-57-5]	0,00522	%	Neutron activation analyses
Not certified					
Single analysis only -	Hafnium (Hf)	[7440-58-6]	0,0005	%	Neutron activation analyses
Not certified					
Single analysis only -	Iridium (Ir)	[7439-88-5]	<0,000005	%	Neutron activation analyses
Not certified					
Single analysis only -	Iron (Fe)	[7439-89-6]	7,7	%	Neutron activation analyses
Not certified					
Single analysis only -	Lanthanum (La)	[7439-91-0]	0,0024	%	Neutron activation analyses
Not certified					
Single analysis only -	Lutetium (Lu)	[7439-94-3]	0,000047	%	Neutron activation analyses
Not certified					
Single analysis only -	Molybdenum (Mo)	[7439-98-7]	<0,001	%	Neutron activation analyses
Not certified					
Single analysis only -	Nickel (Ni)	[7440-02-0]	0,004	%	Neutron activation analyses
Not certified					
Single analysis only -	Rubidium (Rb)	[7440-17-7]	0,0084	%	Neutron activation analyses
Not certified					
Single analysis only -	Samarium (Sm)	[7440-19-9]	0,00057	%	Neutron activation analyses
Not certified					
Single analysis only -	Scandium (Sc)	[7440-20-2]	0,00226	%	Neutron activation analyses
Not certified					
Single analysis only -	Selenium (Se)	[7782-49-2]	<0,001	%	Neutron activation analyses
Not certified					
Single analysis only -	Sodium (Na)	[7440-23-5]	2,44	%	Neutron activation analyses

Not certified					tivation a nyses
Single analysis only -	Tantalum (Ta)	[7440-25-7]	<0,0002	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Tellurium (Te)	[13494-80-9]	<0,002	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Terbium (Tb)	[7440-27-9]	0,0001	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Thorium (Th)	[7440-29-1]	0,00138	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Tin (Sn)	[7440-31-5]	<0,02	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Tungsten (W)	[7440-33-7]	<0,0005	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Uranium (U)	[7440-61-1]	0,0007	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Ytterbium (Yb)	[7440-64-4]	0,0004	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Zinc (Zn)	[7440-66-6]	0,012	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Zirconium (Zr)	[7440-67-7]	<0,05	%	Neutron ac tivation a nyses
Not certified					
Single analysis only -	Silver (Ag)	[7440-22-4]	0,0033	%	Neutron ac tivation a nyses
Not certified					
Indicative value	Iron (Fe)	[7439-89-6]	7,454545455	%	Fusion / X RF
Indicative value	SiO <sub>2</sub>		59,06	%	Fusion / X

RF				
Indicative value	Al <sub>2</sub> O <sub>3</sub>	12,76	%	Fusion / X
				RF
Indicative value	TiO <sub>2</sub>	1,71	%	Fusion / X
				RF
Indicative value	MnO	0,15	%	Fusion / X
				RF
Indicative value	CaO	5,55	%	Fusion / X
				RF
Indicative value	Phosphorus (P)	[7723-14-0]	0,082060236	%
				RF
Indicative value	Sulfur (S)	[7704-34-9]	0,07609131	%
				RF
Indicative value	MgO	[1309-48-4]	2,71	%
				RF
Indicative value	K <sub>2</sub> O		1,95	%
				RF
Indicative value	Loss on Ignition (L.O.I .)(1000 °C)	0,54	%	