

Copper Gold ore

Art. ID GEO-GBM313-7
Unit each
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Nickel (Ni)	[7440-02-0]	0,0299	%	Generally 4 acid dig est with A AS or ICP finish	
Certified value	Copper (Cu)	[7440-50-8]	0,2976	%	Generally 4 acid dig est with A AS or ICP finish	
Certified value	Zinc (Zn)	[7440-66-6]	0,0367	%	Generally 4 acid dig est with A AS or ICP finish	
Certified value	Lead (Pb)	[7439-92-1]	0,0103	%	Generally 4 acid dig est with A AS or ICP finish	
Certified value	Arsenic (As)	[7440-38-2]	0,1131	%	Generally 4 acid dig est with A AS or ICP finish	
Certified value	Cobalt (Co)	[7440-48-4]	0,0035	%	Generally 4 acid dig est with A AS or ICP finish	
Certified value	Silver (Ag)	[7440-22-4]	0,00024	%	Generally	

					4 acid dig est with A AS or ICP finish
Single analysis only - Not certified	Antimony (Sb)	[7440-36-0]	0,0015	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Arsenic (As)	[7440-38-2]	0,114	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Barium (Ba)	[7440-39-3]	0,0262	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Bromine (Br)	[7726-95-6]	0,000426	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Cadmium (Cd)	[7440-43-9]	<0,000665	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Cerium (Ce)	[7440-45-1]	0,00354	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Caesium (Cs)	[7440-46-2]	0,00105	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Chromium (Cr)	[7440-47-3]	0,031	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Cobalt (Co)	[7440-48-4]	0,00358	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Europium (Eu)	[7440-53-1]	<0,0000679	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Gold (Au)	[7440-57-5]	0,000354	%	Neutron ac tivation a nalyzes
Single analysis only -	Hafnium (Hf)	[7440-58-6]	0,00029	%	Neutron ac

Not certified					tivation a nalyzes
Single analysis only - Not certified	Iridium (Ir)	[7439-88-5]	<0,00000114	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iron (Fe)	[7439-89-6]	8,99	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lanthanum (La)	[7439-91-0]	0,00135	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lutetium (Lu)	[7439-94-3]	0,0000321	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Molybdenum (Mo)	[7439-98-7]	0,000813	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Nickel (Ni)	[7440-02-0]	0,0333	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Rubidium (Rb)	[7440-17-7]	0,0117	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Samarium (Sm)	[7440-19-9]	0,000387	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Scandium (Sc)	[7440-20-2]	0,00179	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Selenium (Se)	[7782-49-2]	<0,000204	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Sodium (Na)	[7440-23-5]	0,909	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tantalum (Ta)	[7440-25-7]	0,0000651	%	Neutron ac tivation a nalyzes

Single analysis only - Not certified	Tellurium (Te)	[13494-80-9]	<0,000953	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Terbium (Tb)	[7440-27-9]	0,0000486	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Thorium (Th)	[7440-29-1]	0,000459	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tin (Sn)	[7440-31-5]	<0,00699	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tungsten (W)	[7440-33-7]	0,00366	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Uranium (U)	[7440-61-1]	0,000176	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Ytterbium (Yb)	[7440-64-4]	0,000144	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Zinc (Zn)	[7440-66-6]	0,041	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Zirconium (Zr)	[7440-67-7]	<0,033	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Silver (Ag)	[7440-22-4]	0,00024	%	Neutron ac tivation a nalyzes
Indicative value	Iron (Fe)	[7439-89-6]	9,18	%	Fusion / X RF
Indicative value	SiO ₂		52,29	%	Fusion / X RF
Indicative value	Al ₂ O ₃		12,62	%	Fusion / X RF
Indicative value	TiO ₂		0,68	%	Fusion / X RF

Indicative value	MnO		0,13	%	Fusion / X RF
Indicative value	CaO		4,92	%	Fusion / X RF
Indicative value	Phosphorus (P)	[7723-14-0]	0,05	%	Fusion / X RF
Indicative value	Sulfur (S)	[7704-34-9]	1,89	%	Fusion / X RF
Indicative value	MgO	[1309-48-4]	2	%	Fusion / X RF
Indicative value	K ₂ O		2,06	%	Fusion / X RF
Indicative value	Na ₂ O		1,22668	%	Fusion / X RF
Indicative value	Loss on Ignition (L.O.I) (1000 °C)		6,83	%	Fusion / X RF
Certified value	Nickel (Ni)	[7440-02-0]	0,0293	%	Partial Di gest (AR e tc)
Certified value	Copper (Cu)	[7440-50-8]	0,3019	%	Partial Di gest (AR e tc)
Certified value	Zinc (Zn)	[7440-66-6]	0,0359	%	Partial Di gest (AR e tc)
Certified value	Lead (Pb)	[7439-92-1]	0,0105	%	Partial Di gest (AR e tc)
Certified value	Arsenic (As)	[7440-38-2]	0,1155	%	Partial Di gest (AR e tc)
Certified value	Cobalt (Co)	[7440-48-4]	0,0036	%	Partial Di gest (AR e tc)
Certified value	Silver (Ag)	[7440-22-4]	0,00024	%	Partial Di gest (AR e tc)