

Composite Base Metal Silver

Art. ID GEO-GBM315-9
Unit each
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
Certified value	Nickel (Ni)	[7440-02-0]	0,0071	%		
Certified value	Copper (Cu)	[7440-50-8]	3,4274	%		
Certified value	Zinc (Zn)	[7440-66-6]	1,5131	%		
Certified value	Lead	[7439-92-1]	0,46	%		
Certified value	Arsenic (As)	[7440-38-2]	0,0278	%		
Certified value	Cobalt (Co)	[7440-48-4]	0,0135	%		
Certified value	Silver (Ag)	[7440-22-4]	0,000005	%		
Certified value	Nickel (Ni)	[7440-02-0]	0,0049	%	Partial Digest (AR etc.)	
Certified value	Copper (Cu)	[7440-50-8]	3,4432	%	Partial Digest (AR etc.)	
Certified value	Zinc (Zn)	[7440-66-6]	1,5109	%	Partial Digest (AR etc.)	
Certified value	Lead	[7439-92-1]	0,4663	%	Partial Digest (AR etc.)	
Certified value	Arsenic (As)	[7440-38-2]	0,0281	%	Partial Digest (AR etc.)	
Certified value	Cobalt (Co)	[7440-48-4]	0,012	%	Partial Digest (AR etc.)	
Certified value	Silver (Ag)	[7440-22-4]	0,00505	%	Partial Digest (AR etc.)	
Single analysis only - Not certified	Antimony (Sb)	[7440-36-0]	0,00647	%	Neutron activation analyses	

Single analysis only - Not certified	Arsenic (As)	[7440-38-2]	0,031	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Barium (Ba)	[7440-39-3]	0,014	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Bromine (Br)	[7726-95-6]	<0,00005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Cadmium (Cd)	[7440-43-9]	0,0035	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Cerium (Ce)	[7440-45-1]	0,003	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Caesium (Cs)	[7440-46-2]	0,00005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Chromium (Cr)	[7440-47-3]	0,017	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Cobalt (Co)	[7440-48-4]	0,0151	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Europium (Eu)	[7440-53-1]	0,00023	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Gold (Au)	[7440-57-5]	2,1199	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Hafnium (Hf)	[7440-58-6]	0,0004	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iridium (Ir)	[7439-88-5]	<0,000005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Iron (Fe)	[7439-89-6]	11,9	%	Neutron ac tivation a

Single analysis only - Not certified	Lanthanum (La)	[7439-91-0]	0,002	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Lutetium (Lu)	[7439-94-3]	0,00005	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Molybdenum (Mo)	[7439-98-7]	0,014	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Nickel (Ni)	[7440-02-0]	0,0084	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Rubidium (Rb)	[7440-17-7]	0,001	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Samarium (Sm)	[7440-19-9]	0,00055	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Scandium (Sc)	[7440-20-2]	0,00332	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Selenium (Se)	[7782-49-2]	0,0012	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Sodium (Na)	[7440-23-5]	2	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Tantalum (Ta)	[7440-25-7]	0,00004	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Terbium (Tb)	[7440-27-9]	0,00009	%	Neutron ac tivation a nalyzes
Single analysis only - Not certified	Thorium (Th)	[7440-29-1]	0,0003	%	Neutron ac tivation a nalyzes
Single analysis only -	Tungsten (W)	[7440-33-7]	0,0069	%	Neutron ac

Not certified					Neutron activation analyses
Single analysis only - Not certified	Uranium (U)	[7440-61-1]	0,00017	%	Neutron activation analyses
Single analysis only - Not certified	Ytterbium (Yb)	[7440-64-4]	0,0003	%	Neutron activation analyses
Single analysis only - Not certified	Zinc (Zn)	[7440-66-6]	1,65	%	Neutron activation analyses
Single analysis only - Not certified	Silver (Ag)	[7440-22-4]	0,0052	%	Neutron activation analyses
Indicative value	Iron (Fe)	[7439-89-6]	11,03	%	Fusion / XRF
Indicative value	SiO ₂		44,48	%	Fusion / XRF
Indicative value	Al ₂ O ₃		12,19	%	Fusion / XRF
Indicative value	TiO ₂		1,69	%	Fusion / XRF
Indicative value	MnO		0,18	%	Fusion / XRF
Indicative value	CaO		7,97	%	Fusion / XRF
Indicative value	Phosphorus (P)	[7723-14-0]	0,086	%	Fusion / XRF
Indicative value	Sulfur (S)	[7704-34-9]	4,806	%	Fusion / XRF
Indicative value	MgO	[1309-48-4]	4,69	%	Fusion / XRF
Indicative value	K ₂ O		0,4	%	Fusion / XRF
Indicative value	Na ₂ O		2,46	%	Fusion / XRF
Indicative value	Loss on Ignition (L.O.I.) (1000 °C)		2,72	%	

