

**Fe-V, RM, Powder (0,040-0,160 mm) (Version: 001)**

Art. ID DH-SL25-10  
Unit 50 g (powder)  
Deliverydetails No Dangerous Good /not restricted

Text/Information	Analyte/Parameter	CAS number	Concentration/Value	Unit	Method	Source
	Silicon (Si)	[7440-21-3]	0,894	%	X-Ray Fluorescence Spectrometry (XRF)	
	Iron (Fe)	[7439-89-6]	14,25	%	X-Ray Fluorescence Spectrometry (XRF)	
	Manganese (Mn)	[7439-96-5]	1,154	%	X-Ray Fluorescence Spectrometry (XRF)	
	Phosphorus (P)	[7723-14-0]	0,051	%	X-Ray Fluorescence Spectrometry (XRF)	
	Sulfur (S)	[7704-34-9]	0,016	%	Combustion with IR-Detection	
	Aluminium (Al)	[7429-90-5]	0,783	%	X-Ray Fluorescence Spectrometry (XRF)	
	Magnesium (Mg)	[7439-95-4]	0,01	%	X-Ray Fluorescence Spectrometry (XRF)	
	Titanium (Ti)	[7440-32-6]	0,071	%	X-Ray Fluorescence Spectrometry (XRF)	

Vanadium (V)	[7440-62-2]	80,85	%	X-Ray Fluorescence Spectrometry (XRF)
Niobium (Nb)	[7440-03-1]	0,013	%	X-Ray Fluorescence Spectrometry (XRF)
Chromium (Cr)	[7440-47-3]	0,201	%	X-Ray Fluorescence Spectrometry (XRF)
Molybdenum (Mo)	[7439-98-7]	0,029	%	X-Ray Fluorescence Spectrometry (XRF)
Tungsten (W)	[7440-33-7]	0,025	%	X-Ray Fluorescence Spectrometry (XRF)
Cobalt (Co)	[7440-48-4]	0,008	%	X-Ray Fluorescence Spectrometry (XRF)
Nickel (Ni)	[7440-02-0]	0,009	%	X-Ray Fluorescence Spectrometry (XRF)
Copper (Cu)	[7440-50-8]	0,038	%	X-Ray Fluorescence Spectrometry (XRF)
Carbon (C)	[7440-44-0]	0,12	%	Combustion with IR-Detection, Combustion with Coulometric De

